Vision Research

An International Journal for Functional Aspects of Vision

Author and Subject Index
Volume 33, 1993

PERGAMON

VISION RESEARCH

Founded by THORNE SHIPLEY

Chairman

H. SPEKREIJSE, Netherlands Ophthalmic Research Institute and Laboratory of Medical Physics and Informatics, University of Amsterdam, P.O. Box 12011, 1100 AA Amsterdam-Zuidoost, The Netherlands [*Tel.* (31) 20 5664584; *Fax* (31) 20 6916521; *Email* borghols@amc.uva.nl]
Editorial Assistant: ELS BORGHOLS

Vision Research is a journal devoted to the functional aspects of human, vertebrate and invertebrate vision and welcomes papers that address important issues in basic and/or clinical research. The journal is sub-divided into five sections, each with two Section Editors.

Section 1: *Neurobiology*

functional morphology and anatomy
pigments and transduction
the role of neurotransmitters
retinal, subcortical and cortical electrophysiology
physiological optics
plasticity and regeneration of function

YUTAKA FUKUDA, Osaka, Japan
SAMUEL WU, Houston, Tex., U.S.A.

Section 2: *Psychophysics*

binocular, depth, motion, colour, form, pattern, orientation and texture vision
spatial vision and stereopsis
attentive vision
adaptation and aftereffects

DENNIS M. LEVI, Houston, Tex., U.S.A.
DAVIDA TELLER, Seattle, Wash., U.S.A.

Section 3: *Behavioural Physiology and Visuomotor Control*

eye movements
oculomotor studies, reading
visual guidance of manipulation, locomotion and navigation
visual behaviour in space

HAN COLLEWIJN, Rotterdam, The Netherlands
CHRISTA NEUMEYER, Mainz, Germany

Section 4: *Computational Vision*

models and theory
visual networks
computer vision

ELLEN C. HILDRETH, Wellesley, Mass., U.S.A.
MICHAEL MORGAN, London, England

Section 5: *Clinical Vision Sciences*

psychophysics, electrophysiology
pathophysiology, neuropharmacology
experimental ophthalmology and neurology
functional (brain) imaging

IVAN BODIS-WOLLNER, Omaha, Neb., U.S.A.
EBERHART ZRENNER, Tübingen, Germany

The Section Editors are assisted by an Editorial Board consisting of:

WILLEM DE GRIP, Nijmegen, The Netherlands
ANITA HENDRICKSON, Seattle, Wash., U.S.A.
ABBIE HUGHES, Victoria, Australia
SIMON LAUGHLIN, Cambridge, England
DAVID NEWSOME, New Orleans, La, U.S.A.
PAUL SIEVING, Ann Arbor, Mich., U.S.A.

TED ADELSON, Cambridge, Mass, U.S.A.
JANETTE ATKINSON, Cambridge, England
ROBERT HESS, Montréal, Canada
JOHN MOLLON, Cambridge, England
MARTIN REGAN, North York, Canada
STEVEN SHEVELL, Chicago, Ill., U.S.A.

RICHARD ANDERSEN, Cambridge, Mass, U.S.A.
COLIN BLAKEMORE, Oxford, England
AMIRAM GRINVALD, Rehovot, Israel
VOLKER HENN, Zürich, Switzerland
EILEEN KOWLER, New Brunswick, N.J., U.S.A.
MANDYAM SRINIVASAN, Canberra, Australia

ANDREW BLAKE, Oxford, England
OLIVIER FAUGERAS, Valbonne, France
WILSON GEISLER, Austin, Tex., U.S.A.
CHRISTOF KOCH, Pasadena, Calif., U.S.A.
CONCETTA MORRONE, Pisa, Italy
SHIMON ULLMAN, Rehovot, Israel

EMIKO ADACHI-USAMI, Chiba, Japan
JACK BELLIVEAU, Boston, Mass., U.S.A.
GERALD FISHMAN, Chicago, Ill., U.S.A.
MICHAEL KASS, St Louis, Miss., U.S.A.
EWEN KING-SMITH, Columbus, Ohio, U.S.A.
GORDON LEGGE, Minneapolis, Minn., U.S.A.
GÜNTHER NIEMEYER, Zürich, Switzerland
CYNTHIA OWSLEY, Birmingham, Ala., U.S.A.

Publishing Office: Elsevier Science Ltd, Bampfylde Street, Exeter EX1 2AH, England [*Tel.* Exeter (0392) 51558; *Fax* (0392) 425370]. Production Editor: Amy Bond.

Subscription and Advertising Offices: Elsevier Science Ltd, Headington Hill Hall, Oxford OX3 0BW, England [*Tel.* Oxford (0865) 794141]; Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Subscription Rates: Annual Institutional Subscription Rates 1994: North, Central and South America U.S.$1325; Rest of World £859. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Second class postage paid at RAHWAY NJ and additional mailing offices. Postmaster send address corrections to *Vision Research*, Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Back Issues: Back issues of all previously published volumes, in both hard copy and microform, are available direct from Elsevier Science offices.

Published semi-monthly. Copyright © 1994 Elsevier Science Ltd

AUTHOR INDEX

AGGARWALA, K.R.
Kruger, P.B., Mathews, S., Aggarwala, K.R. and Sanchez, N. Chromatic aberration and ocular focus: Fincham revisited 33: 1397

AHMED, J.
Ahmed, J. and Engbretson, G.A. Disk shedding in the absence of a pigment epithelium in the lizard parietal eye 33: 2637

AHN, S.J.
Ahn, S.J. and MacLeod, D.I.A. Link-specific adaptation in the luminance and chromatic channels 33: 2271

AIKEN, W.
Ramachandran, V.S., Gregory, R.L. and Aiken, W. Perceptual fading of visual texture borders 33: 717

ALBRIGHT, T.D.
Dobkins, K.R. and Albright, T.D. What happens if it changes color when it moves?: psychophysical experiments on the nature of chromatic input to motion detectors 33: 1019

ALEXANDER, K.R.
Alexander, K.R., Xie, W. and Derlacki, D.J. The effect of contrast polarity on letter identification 33: 2491

ALLEN, D.
Allen, D., Banks, M.S. and Norcia, A.M. Does chromatic sensitivity develop more slowly than luminance sensitivity? 33: 2553

ALMON, M.
Spitzer, H., Almon, M. and Sandler, V.M. A model for detection of spatial and temporal edges by a single X cell 33: 1871

AMTHOR, F.R.
Oyster, C.W., Amthor, F.R. and Takahashi, E.S. Dendritic architecture of ON-OFF direction-selective ganglion cells in the rabbit retina 33: 579

ANDERSEN, R.A.
Treue, S., Snowden, R.J. and Andersen R.A. The effect of transiency on perceived velocity of visual patterns: a case of "temporal capture," 33: 791

ANDERSON, S.J.
Hess, R.F. and Anderson, S.J. Motion sensitivity and spatial undersampling in amblyopia 33: 881
Anderson, S.J. Visual processing delays alter the perceived spatial form of moving gratings 33: 2733

ANSTIS, S.
Arnold, K. and Anstis, S. Properties of the visual channels that underlie adaptation to gradual change of luminance 33: 47

ARBIB, M.A.
Teeters, J.L., Arbib, M.A., Corbacho, F. and Lee, H.B. Quantitative modeling of responses of anuran retina: stimulus shape and size dependency 33: 2361

ARMSTRONG, R.A.
Degg, C., Slaven, A. and Armstrong, R.A. Chronotopographical analysis of the pattern onset visual evoked magnetic response (VEMR): implications for waveform peak identification 33: 2443

ARNOLD, K.
Arnold, K. and Anstis, S. Properties of the visual channels that underlie adaptation to gradual change of luminance 33: 47

ARTIGAS, J.M.
Felipe, A., Buades, M.J. and Artigas, J.M. Influence of the contrast sensitivity function on the reaction time 33: 2461

ATICK, J.J.
Atick, J.J., Li, Z. and Redlich, A.N. What does post-adaptation color appearance reveal about cortical color representation? 33: 123

BADCOCK, D.R.
Derrington, A.M., Badcock, D.R. and Henning, G.B. Discriminating the direction of second-order motion at short stimulus durations 33: 1785
BAKER, C.L. JR.
Friend, S.M. and Baker, C.L. Jr. Spatio-temporal frequency separability in Area 18 neurons of the cat 33: 1765
Boulton, J.C. and Baker, C.L. Jr. Different parameters control motion perception above and below a critical density 33: 1803
Boulton, J.C. and Baker, C.L. Jr. Dependence on stimulus onset asynchrony in apparent motion: evidence for two mechanisms 33: 2013
BANKS, M.S.
Allen, D., Banks, M.S. and Norcia, A.M. Does chromatic sensitivity develop more slowly than luminance sensitivity? 33: 2553
BANTON, T.
Banton, T. and Levi, D.M. Spatial localization of motion-defined and luminance-defined contours 33: 2225
BARSANTI, L.
Barsanti, L., Passarelli, V., Lenzi, P., Walne, P.L., Dunlap, J.R. and Gualtieri, P. Effects of hydroxylamine, digitonin and triton X-100 on photoreceptor (paraflagellar swelling) and photoreception of *Euglena gracilis* 33: 2043
BAUER, R.
Bauer, R. and Jordan, W. Different anisotropies for texture and grating stimuli in the visual map of cat striate cortex 33: 1447
BEAUDET, L.
Beaudet, L., Browman, H.I. and Hawryshyn, C.W. Optic nerve response and retinal structure in rainbow trout of different sizes 33: 1739
BEHRENS, U.D.
Wagner, H.-J. and Behrens, U.D. Microanatomy of the dopaminergic system in the rainbow trout retina 33: 1345
VAN DEN BERG, T.J.T.P.
IJspeert, J.K., van den Berg, T.J.T.P. and Spekreijse, H. An improved mathematical description of the foveal visual point spread function with parameters for age, pupil size and pigmentation 33: 15
BERLUCCHI, G.
Tassinari, G. and Berlucchi, G. Sensory and attentional components of slowing of manual reaction time to non-fixated visual targets by ipsilateral primes 33: 1525
BIJL, P.
Bijl, P. and Koenderink, J.J. Visibility of elliptical Gaussian blobs 33: 243
BINGHAM, G.P.
Bingham, G.P. Optical flow from eye movement with head immobilized: "ocular occlusion" beyond the nose 33: 777
BIRCH, D.G.
Hood, D.C. and Birch, D.G. Light adaptation of human rod receptors: the leading edge of the human *a*-wave and models of rod receptor activity 33: 1605
BISCHOF, W.F.
Groner, R., Groner, M.T., Müller, P., Bischof, W.F. and Di Lollo, V. On the confounding effects of phosphor persistence in oscilloscopic displays 33: 913
BLAKE, A.
Blake, A., Bülthoff, H.H. and Sheinberg, D. Shape from texture: ideal observers and human psychophysics 33: 1723

BLAKE, R.
Nawrot, M. and Blake, R. On the perceptual identity of dynamic stereopsis and kinetic depth 33: 1561
Blake, R. and Hiris, E. Another means for measuring the motion aftereffect 33: 1589
Schall, J.D., Nawrot, M., Blake, R. and Yu, K. Visually guided attention is neutralized when informative cues are visible but unperceived 33: 2057
BLAKESLEE, B.
McCourt, M.E. and Blakeslee, B. The effect of edge blur on grating induction magnitude 33: 2499
BLUME, J.L.
Previc, F.H. and Blume, J.L. Visual search asymmetries in three-dimensional space 33: 2697
BOCHEVA, N.
Vos, P.G., Bocheva, N., Yakimoff, N. and Helsper, E. Perceived location of two-dimensional patterns 33: 2157
BONIFACE, S.J.
Wolpert, D.M., Miall, R.C., Cumming, B. and Boniface, S.J. Retinal adaptation of visual processing time delays 33: 1421
BONNET, C.
Dresp, B. and Bonnet, C. Psychophysical measures of illusory form perception: further evidence for local mechanisms 33: 759
Castet, E., Lorenceau, J. and Bonnet, C. The inverse intensity effect is not lost with stimuli in apparent motion 33: 1697
Castet, E., Lorenceau, J., Shiffrar, M. and Bonnet, C. Perceived speed of moving lines depends on orientation, length, speed and luminance 33: 1921
BOSSINK, C.J.H.
Bossink, C.J.H., Stalmeier, P.F.M. and de Weert, Ch.M.M. A test of Levelt's second proposition for binocular rivalry 33: 1413
BOULTON, J.C.
Boulton, J.C. and Baker, C.L. Jr. Different parameters control motion perception above and below a critical density 33: 1803
Boulton, J.C. and Baker, C.L. Jr. Dependence on stimulus onset asynchrony in apparent motion: evidence for two mechanisms 33: 2013
BOWMAKER, J.K.
Hunt, D.M., Williams, A.J., Bowmaker, J.K. and Mollon, J.D. Structure and evolution of the polymorphic photopigment gene of the marmoset 33: 147
Bowmaker, J.K., Kovach, J.K., Whitmore, A.V. and Loew, E.R. Visual pigments and oil droplets in genetically manipulated and carotenoid deprived quail: a microspectrophotometric study 33: 571
BOYCOTT, B.B.
Grünert, U., Greferath, U., Boycott, B.B. and Wässle, H. Parasol (P) ganglion-cells of the primate fovea: immunocytochemical staining with antibodies against $GABA_A$-receptors 33: 1
BOYNTON, G.M.
Foley, J.M. and Boynton, G.M. Forward pattern masking and adaptation: effects of duration, interstimulus interval, contrast, and spatial and temporal frequency 33: 959
BRACE, S.T.
Koontz, M.A., Hendrickson, L.E., Brace, S.T. and Hendrickson, A.E. Immunocytochemical localization of GABA and glycine in amacrine and displaced amacrine cells of macaque monkey retina 33: 2617
BRAINARD, D.H.
Brainard, D.H. and Williams, D.R. Spatial reconstruction of signals from short-wavelength cones 33: 105

BRANDON, C.
Criswell, M.H. and Brandon, C. Acetylcholinesterase and choline acetyltransferase localization patterns do correspond in cat and rat retinas 33: 1747
BRENNER, E.
Brenner, E. Judging an object's velocity when its distance changes due to ego-motion 33: 487
BRESSAN, P.
Bressan, P. and Vallortigara, G. What induces capture in motion capture? 33: 2109
BROWMAN, H.I.
Beaudet, L., Browman, H.I. and Hawryshyn, C.W. Optic nerve response and retinal structure in rainbow trout of different sizes 33: 1739
BUADES, M.J.
Felipe, A., Buades, M.J. and Artigas, J.M. Influence of the contrast sensitivity function on the reaction time 33: 2461
BUCHANAN, K.D.
Hayes, R.G.J., Shaw, C., Chakravarthy, U. and Buchanan, K.D. Tachykinin-11 gene products in porcine ocular tissues: evidence for transcriptional and post-translational regulation 33: 1477
BUCHANAN-SMITH, H.M.
Heeley, D.W., Buchanan-Smith, H.M. and Heywood, S. Orientation acuity for sine-wave gratings with random variation of spatial frequency 33: 2509
BUCK, S.L.
Knight, R. and Buck, S.L. Cone pathways and the $\pi 0$ and $\pi 0'$ rod mechanisms 33: 2203
BUCKLEY, D.
Buckley, D. and Frisby, J.P. Interaction of stereo, texture and outline cues in the shape perception of three-dimensional ridges 33: 919
BÜLTHOFF, H.H.
Blake, A., Bülthoff, H.H. and Sheinberg, D. Shape from texture: ideal observers and human psychophysics 33: 1723
BURKE, D.
Burke, D. and Wenderoth, P. The effect of interactions between one-dimensional component gratings on two-dimensional motion perception 33: 343
Burke, D. and Wenderoth, P. Determinants of two-dimensional motion aftereffects induced by simultaneously- and alternately-presented plaid components 33: 351
BURR, D.C.
Morrone, M.C., Burr, D.C. and Fiorentini, A. Development of infant contrast sensitivity to chromatic stimuli 33: 2535
BURTON, K.B.
Burton, K.B., Owsley, C. and Sloane, M.E. Aging and neural spatial contrast sensitivity: photopic vision 33: 939

CAGENELLO, R.
Cagenello, R. and Rogers, B.J. Anisotropies in the perception of stereoscopic surfaces: the role of orientation disparity 33: 2189
CANNON, M.W.
Cannon, M.W. and Fullenkamp, S.C. Spatial interactions in apparent contrast: individual differences in enhancement and suppression effects 33: 1685
CARNEY, T.
Hu, Q., Klein, S.A. and Carney, T. Can sinusoidal vernier acuity be predicted by contrast discrimination? 33: 1241
Waugh, S.J., Levi, D.M. and Carney, T. Orientation, masking, and vernier acuity for line targets 33: 1619
Carney, T. and Shadlen, M.N. Dichoptic activation of the early motion system 33: 1977

CASTET, E.
Lorenceau, J., Shiffrar, M., Wells, N. and Castet, E. Different motion sensitive units are involved in recovering the direction of moving lines 33: 1207
Castet, E., Lorenceau, J. and Bonnet, C. The inverse intensity effect is not lost with stimuli in apparent motion 33: 1697
Castet, E., Lorenceau, J., Shiffrar, M. and Bonnet, C. Perceived speed of moving lines depends on orientation, length, speed and luminance 33: 1921
CAVANAGH, P.
Watanabe, T. and Cavanagh, P. Transparent surfaces defined by implicit X junctions 33: 2339
CHAKRAVARTHY, U.
Hayes, R.G.J., Shaw, C., Chakravarthy, U. and Buchanan, K.D. Tachykinin-11 gene products in porcine ocular tissues: evidence for transcriptional and post-translational regulation 33: 1477
CHEN, B.
Chen, B., Makous, W. and Williams, D.R. Serial spatial filters in vision 33: 413
CHEN, H.-W.
Jacobson, L.D., Gaska, J.P., Chen, H.-W. and Pollen, D.A. Structural testing of multi-input linear-nonlinear cascade models for cells in macaque striate cortex 33: 609
CHICHILNISKY, E.-J.
Chichilnisky, E.-J., Heeger, D. and Wandell, B.A. Functional segregation of color and motion perception examined in motion nulling 33: 2113
CHOLEWINSKI, A.
Osborne, N.N., Fitzgibbon, F., Nash, M., Liu, N.-P., Leslie, R. and Cholewinski, A. Serotonergic, 5-HT_2, receptor-mediated phosphoinositide turnover and mobilization of calcium in cultered rat retinal pigment epithelium cells 33: 2171
CHUBB, C.
Werkhoven, P., Sperling, G. and Chubb, C. The dimensionality of texture-defined motion: a single channel theory 33: 463
Solomon, J.A., Sperling, G. and Chubb, C. The lateral inhibition of perceived contrast is indifferent to on-center/off-center segregation, but specific to orientation 33: 2671
COGAN, A.I.
Cogan, A.I., Lomakin, A.J. and Rossi, A.F. Depth in anticorrelated stereograms: effects of spatial density and interocular delay 33: 1959
COLETTA, N.J.
Coletta, N.J., Segu, P. and Tiana, C.L.M. An oblique effect in parafoveal motion perception 33: 2747
CONSTANTINESCU, D.H.
Sireteanu, R., Lagrèze, W.-D. and Constantinescu, D.H. Distortions in two-dimensional visual space perception in strabismic observers 33: 677
COOK, M.J.
Foster, D.H., Simmons, D.R. and Cook, M.J. The cue for contour-curvature discrimination 33: 329
CORBACHO, F.
Teeters, J.L., Arbib, M.A., Corbacho, F. and Lee, H.B. Quantitative modeling of responses of anuran retina: stimulus shape and size dependency 33: 2361
COWAN, J.D.
Hartwell, R.C. and Cowan, J.D. Evoked potentials and simple motor reaction times to localized visual patterns 33: 1325
CRISWELL, M.H.
Criswell, M.H. and Brandon, C. Acetylcholinesterase and choline acetyltransferase localization patterns do correspond in cat and rat retinas 33: 1747
CROGNALE, M.A.
Jacobs, G.H., Deegan, J.F. II, Neitz, J, Crognale, M.A. and Neitz, M. Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773

CULLEN, A.P.
Elliott, D.B., Yang, K.C.H., Dumbleton, K. and Cullen, A.P. Ultraviolet-induced lenticular fluorescence: intraocular straylight affecting visual function 33: 1827
CUMMING, B.
Wolpert, D.M., Miall, R.C., Cumming, B. and Boniface, S.J. Retinal adaptation of visual processing time delays 33: 1421
CUMMING, B.G.
Johnston, E.B., Cumming, B.G. and Parker, A.J. Integration of depth modules: stereopsis and texture 33: 813
Cumming, B.G., Johnston, E.B. and Parker, A.J. Effects of different texture cues on curved surfaces viewed stereoscopically 33: 827

VAN DAMME, W.J.M.
van Damme, W.J.M. and van de Grind, W.A. Active vision and the identification of three-dimensional shape 33: 1581
DANNEMILLER, J.L.
Dannemiller, J.L. Rank orderings of photoreceptor photon catches from natural objects are nearly illuminant-invariant 33: 131
Dannemiller, J.L. and Freedland, R.L. Motion-based detection by 14-week-old infants 33: 657
DE VALOIS, K.K.
De Valois, R.L. and De Valois, K.K. A multi-stage color model 33: 1053
Zhang, J., Yeh, S.-L. and De Valois, K.K. Motion contrast and motion integration 33: 2721
DE VALOIS, R.L.
De Valois, R.L. and De Valois, K.K. A multi-stage color model 33: 1053
DE WEERT, CH.M.M.
Bossink, C.J.H., Stalmeier, P.F.M. and de Weert, Ch.M.M. A test of Levelt's second proposition for binocular rivalry 33: 1413
DEEB, S.S.
Sanocki, E., Lindsey, D.T., Winderickx, J., Teller, D.Y., Deeb, S.S. and Motulsky, A.G. Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139
DEEGAN, J.F. II
Jacobs, G.H., Deegan, J.F. II, Neitz, J, Crognale, M.A. and Neitz, M. Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773
DEGG, C.
Degg, C., Slaven, A. and Armstrong, R.A. Chronotopographical analysis of the pattern onset visual evoked magnetic response (VEMR): implications for waveform peak identification 33: 2443
DERLACKI, D.J.
Alexander, K.R., Xie, W. and Derlacki, D.J. The effect of contrast polarity on letter identification 33: 2491
DERRINGTON, A.M.
Derrington, A.M. and Henning, G.B. Detecting and discriminating the direction of motion of luminance and colour gratings 33: 799
Derrington, A.M., Fine, I. and Henning, G.B. Errors in direction-of-motion discrimination with dichoptically viewed stimuli 33: 1491
Derrington, A.M., Badcock, D.R. and Henning, G.B. Discriminating the direction of second-order motion at short stimulus durations 33: 1785
DI LOLLO, V.
Groner, R., Groner, M.T., Müller, P., Bischof, W.F. and Di Lollo, V. On the confounding effects of phosphor persistence in oscilloscopic displays 33: 913

DICK, K.
Wildsoet, C.F., Howland, H.C., Falconer, S. and Dick, K. Chromatic aberration and accommodation: their role in emmetropization in the chick 33: 1593
DOBKINS, K.R.
Dobkins, K.R. and Albright, T.D. What happens if it changes color when it moves?: psychophysical experiments on the nature of chromatic input to motion detectors 33: 1019
DONNER, K.
Koskelainen, A., Donner, K., Lerber, T. and Hemilä, S. pH regulation in frog cones studied by mass receptor photoresponses from the isolated retina 33: 2181
VAN DOORN, A.J.
van de Grind, W.A., Koenderink, J.J., van Doorn, A.J., Milders, M.V. and Voerman, H. Inhomogeneity and anisotropies for motion detection in the monocular visual field of human observers 33: 1089
DOUGLAS, R.H.
Thorpe, A., Douglas, R.H. and Truscott, R.J.W. Spectral transmission and short-wave absorbing pigments in the fish lens - I. Phylogenetic distribution and identity 33: 289
Thorpe, A. and Douglas, R.H. Spectral transmission and short-wave absorbing pigments in the fish lens - II. Effects of age 33: 301
DRESP, B.
Dresp, B. and Bonnet, C. Psychophysical measures of illusory form perception: further evidence for local mechanisms 33: 759
DUFFY, C.J.
Duffy, C.J. and Wurtz, R.H. An illusory transformation of optic flow fields 33: 1481
DUMBLETON, K.
Elliott, D.B., Yang, K.C.H., Dumbleton, K. and Cullen, A.P. Ultraviolet-induced lenticular fluorescence: intraocular straylight affecting visual function 33: 1827
DUNLAP, J.R.
Barsanti, L., Passarelli, V., Lenzi, P., Walne, P.L., Dunlap, J.R. and Gualtieri, P. Effects of hydroxylamine, digitonin and triton X-100 on photoreceptor (paraflagellar swelling) and photoreception of *Euglena gracilis* 33: 2043

EDELMAN, S.
Fahle, M. and Edelman, S. Long-term learning in vernier acuity: effects of stimulus orientation, range and of feedback 33: 397
EGUCHI, E.
Shimazaki, Y. and Eguchi, E. Synthesis of 3-hydroxyretinal in the cytosol of the butterfly compound eye 33: 155
EJIMA, Y.
Ohtani, Y., Takemoto, A., Kaihara, T. and Ejima, Y. On the loss of apparent motion between isolated chromatic stimuli near isoluminance 33: 935
ELDER, J.
Elder, J. and Zucker, S. The effect of contour closure on the rapid discrimination of two-dimensional shapes 33: 981
ELLIOTT, D.B.
Elliott, D.B., Yang, K.C.H., Dumbleton, K. and Cullen, A.P. Ultraviolet-induced lenticular fluorescence: intraocular straylight affecting visual function 33: 1827
ENGBRETSON, G.A.
Ahmed, J. and Engbretson, G.A. Disk shedding in the absence of a pigment epithelium in the lizard parietal eye 33: 2637
EPELBOIM, J.
Epelboim, J. and Kowler, E. Slow control with eccentric targets: evidence against a position-corrective model 33: 361

ERENS, R.G.F.
Erens, R.G.F., Kappers, A.M.L. and Koenderink, J.J. Estimating the gradient direction of a luminance ramp 33: 1639

FACH, C.C.
Sharpe, L.T., Fach, C.C. and Stockman, A. The spectral properties of the two rod pathways 33: 2705
FAHLE, M.
Fahle, M. and Edelman, S. Long-term learning in vernier acuity: effects of stimulus orientation, range and of feedback 33: 397
FALCONER, S.
Wildsoet, C.F., Howland, H.C., Falconer, S. and Dick, K. Chromatic aberration and accommodation: their role in emmetropization in the chick 33: 1593
FARELL, B.
Farell, B. and Pelli, D.G. Can we attend to large and small at the same time? 33: 2757
FARIZA, E.
Medina, A. and Fariza, E. Emmetropization as a first-order feedback system 33: 21
FELIPE, A.
Felipe, A., Buades, M.J. and Artigas, J.M. Influence of the contrast sensitivity function on the reaction time 33: 2461
FIELD, D.
Hess, R.F. and Field, D. Is the increased spatial uncertainty in the normal periphery due to spatial undersampling or uncalibrated disarray? 33: 2663
FIELD, D.J.
Field, D.J., Hayes, A. and Hess, R.F. Contour integration by the human visual system: evidence for a local "association field," 33: 173
FINDLAY, J.M.
Findlay, J.M. and Harris, L.R. Horizontal saccades to dichoptically presented targets of differing disparities 33: 1001
FINE, I.
Derrington, A.M., Fine, I. and Henning, G.B. Errors in direction-of-motion discrimination with dichoptically viewed stimuli 33: 1491
FIORENTINI, A.
Morrone, M.C., Burr, D.C. and Fiorentini, A. Development of infant contrast sensitivity to chromatic stimuli 33: 2535
FITZGIBBON, F.
Osborne, N.N., Fitzgibbon, F., Nash, M., Liu, N.-P., Leslie, R. and Cholewinski, A. Serotonergic, 5-HT_2, receptor-mediated phosphoinositide turnover and mobilization of calcium in cultered rat retinal pigment epithelium cells 33: 2171
FOLEY, J.M.
Foley, J.M. and Boynton, G.M. Forward pattern masking and adaptation: effects of duration, interstimulus interval, contrast, and spatial and temporal frequency 33: 959
FOSTER, D.H.
Foster, D.H., Simmons, D.R. and Cook, M.J. The cue for contour-curvature discrimination 33: 329
FREDERICKSEN, R.E.
Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Spatio-temporal characteristics of human motion perception 33: 1193
FREEDLAND, R.L.
Dannemiller, J.L. and Freedland, R.L. Motion-based detection by 14-week-old infants 33: 657

FRIEND, S.M.
Friend, S.M. and Baker, C.L. Jr. Spatio-temporal frequency separability in Area 18 neurons of the cat 33: 1765
FRISBY, J.P.
Buckley, D. and Frisby, J.P. Interaction of stereo, texture and outline cues in the shape perception of three-dimensional ridges 33: 919
FUHR, P.S.
Kuyk, T. and Fuhr, P.S. The effects of peripheral flicker on foveal spectral sensitivity 33: 627
FUKUDA, Y.
Sasaki, H., Inoue, T., Iso, H., Fukuda, Y. and Hayashi, Y. Light-dark discrimination after sciatic nerve transplantation to the sectioned optic nerve in adult hamsters 33: 877
FULLENKAMP, S.C.
Cannon, M.W. and Fullenkamp, S.C. Spatial interactions in apparent contrast: individual differences in enhancement and suppression effects 33: 1685

GASKA, J.P.
Jacobson, L.D., Gaska, J.P., Chen, H.-W. and Pollen, D.A. Structural testing of multi-input linear-nonlinear cascade models for cells in macaque striate cortex 33: 609
GELLER, A.M.
Geller, A.M. and Sieving, P.A. Assessment of foveal cone photoreceptors in Stargardt's macular dystrophy using a small dot detection task 33: 1509
GIELEN, C.C.A.M.
Krommenhoek, K.P., van Opstal, A.J., Gielen, C.C.A.M. and van Gisbergen, J.A.M. Remapping of neural activity in the motor colliculus: a neural network study 33: 1287
GILMARTIN, B.
Gray, L.S., Winn, B. and Gilmartin, B. Accommodative microfluctuations and pupil diameter 33: 2083
VAN GISBERGEN, J.A.M.
Krommenhoek, K.P., van Opstal, A.J., Gielen, C.C.A.M. and van Gisbergen, J.A.M. Remapping of neural activity in the motor colliculus: a neural network study 33: 1287
GLASER, D.A.
Kumar, T. and Glaser, D.A. Temporal aspects of depth contrast 33: 947
Kumar, T. and Glaser, D.A. Initial performance, learning and observer variability for hyperacuity tasks 33: 2287
GLEASON, G.
Schor, C.M., Gleason, G. and Lunn, R. Interactions between short-term vertical phoria adaptation and nonconjugate adaptation of vertical pursuits 33: 55
Gleason, G., Schor, C., Lunn, R. and Maxwell, J. Directionally selective short-term nonconjugate adaptation of vertical pursuits 33: 65
Schor, C., Gleason, G., Maxwell, J. and Lunn, R. Spatial aspects of vertical phoria adaptation 33: 73
GOREA, A.
Gorea, A., Papathomas, T.V. and Kovacs, I. Motion perception with spatiotemporally matched chromatic and achromatic information reveals a "slow" and a "fast" motion system 33: 2515
GRAHAM, N.
Graham, N., Sutter, A. and Venkatesan, C. Spatial-frequency- and orientation-selectivity of simple and complex channels in region segregation 33: 1893

GRAY, L.S.
Gray, L.S., Winn, B. and Gilmartin, B. Accommodative microfluctuations and pupil diameter 33: 2083
GREFERATH, U.
Grünert, U., Greferath, U., Boycott, B.B. and Wässle, H. Parasol (P) ganglion-cells of the primate fovea: immunocytochemical staining with antibodies against $GABA_A$-receptors 33: 1
GREGORY, R.L.
Ramachandran, V.S., Gregory, R.L. and Aiken, W. Perceptual fading of visual texture borders 33: 717
GRIBAKIN, F.G.
Gribakin, F.G. and Ukhanov, K.Y. Light scattering in the eye of the blowfly *chalky* mutant: the effect on spectral sensitivity of photoreceptors R1-6 33: 1185
GRIMES, P.A.
Lin, T., Grimes, P.A. and Stone, R.A. Expansion of the retinal pigment epithelium in experimental myopia 33: 1881
VAN DE GRIND, W.A.
Przybyszewski, A.W., Lankheet, M.J.M. and van de Grind, W.A. Nonlinearity and oscillations in X-type ganglion cells of the cat retina 33: 861
van de Grind, W.A., Koenderink, J.J., van Doorn, A.J., Milders, M.V. and Voerman, H. Inhomogeneity and anisotropies for motion detection in the monocular visual field of human observers 33: 1089
Lankheet, M.J.M., van Wezel, R.J.A., Prickaerts, J.H.H.J. and van de Grind, W.A. The dynamics of light adaptation in cat horizontal cell responses 33: 1153
Lankheet, M.J.M., Przybyszewski, A.W. and van de Grind, W.A. The lateral spread of light adaptation in cat horizontal cell responses 33: 1173
Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Spatio-temporal characteristics of human motion perception 33: 1193
van Damme, W.J.M. and van de Grind, W.A. Active vision and the identification of three-dimensional shape 33: 1581
GRONER, M.T.
Groner, R., Groner, M.T., Müller, P., Bischof, W.F. and Di Lollo, V. On the confounding effects of phosphor persistence in oscilloscopic displays 33: 913
GRONER, R.
Groner, R., Groner, M.T., Müller, P., Bischof, W.F. and Di Lollo, V. On the confounding effects of phosphor persistence in oscilloscopic displays 33: 913
GRÜNERT, U.
Grünert, U., Greferath, U., Boycott, B.B. and Wässle, H. Parasol (P) ganglion-cells of the primate fovea: immunocytochemical staining with antibodies against $GABA_A$-receptors 33: 1
GRZYWACZ, N.M.
Watamaniuk, S.N.J., Grzywacz, N.M. and Yuille, A.L. Dependence of speed and direction perception on cinematogram dot density 33: 849
GUALTIERI, P.
Barsanti, L., Passarelli, V., Lenzi, P., Walne, P.L., Dunlap, J.R. and Gualtieri, P. Effects of hydroxylamine, digitonin and triton X-100 on photoreceptor (paraflagellar swelling) and photoreception of *Euglena gracilis* 33: 2043
GUEZ, R.-E.
Guez, R.-E., Le Gargasson, J.-F., Rigaudière, F. and O'Regan, J.K. Is there a systematic location for the pseudo-fovea in patients with central scotoma? 33: 1271
GÜNTÜRKÜN, O.
Hahmann, U. and Güntürkün, O. The visual acuity for the lateral visual field of the pigeon (*Columba livia*) 33: 1659

GUR, M.
Gur, M. and Syrkin, G. Color enhances Mach bands detection threshold and perceived brightness 33: 2313
GUREVICH, L.
Gurevich, L. and Slaughter, M.M. Comparison of the waveforms of the ON bipolar neuron and the *b*-wave of the electroretinogram 33: 2431

HAHMANN, U.
Hahmann, U. and Güntürkün, O. The visual acuity for the lateral visual field of the pigeon (*Columba livia*) 33: 1659
HALEVY, D.
Zaidi, Q. and Halevy, D. Visual mechanisms that signal the direction of color changes 33: 1037
HALLETT, P.E.
Hofmann, M.I. and Hallett, P.E. Texture segregation based on two-dimensional relative phase differences in composite sine-wave grating patterns 33: 221
Hofmann, M.I. and Hallett, P.E. Preattentive discrimination of relative phase modelled by interacting Gabor or by difference-of-Gaussian filters 33: 2569
HAMMETT, S.T.
Hammett, S.T., Ledgeway, T. and Smith, A.T. Transparent motion from feature- and luminance-based processes 33: 1119
HAMSTRA, S.J.
Regan, D. and Hamstra, S.J. Dissociation of discrimination thresholds for time to contact and for rate of angular expansion 33: 447
HAN, B.-c.
Young, R.S.L., Han, B.-c. and Wu, P.-y. Transient and sustained components of the pupillary responses evoked by luminance and color 33: 437
HANKINS, M.W.
Hankins, M.W. and Ikeda, H. Consequences of transient retinal hypoxia on rod input to horizontal cells in the rat retina 33: 429
HARIYAMA, T.
Terakita, A., Tsukahara, Y., Hariyama, T., Seki, T. and Tashiro, H. Light-induced binding of proteins to rhabdomeric membranes in the retina of crayfish (*Procambarus clarkii*) 33: 2421
HARRAD, R.A.
McKee, S.P. and Harrad, R.A. Fusional suppression in normal and stereoanomalous observers 33: 1645
HARRIS, J.M.
Harris, J.M. and Morgan, M.J. Stereo and motion disparities interfere with positional averaging 33: 309
HARRIS, L.R.
Findlay, J.M. and Harris, L.R. Horizontal saccades to dichoptically presented targets of differing disparities 33: 1001
HARTWELL, R.C.
Hartwell, R.C. and Cowan, J.D. Evoked potentials and simple motor reaction times to localized visual patterns 33: 1325
HARWERTH, R.S.
Siderov, J. and Harwerth, R.S. Effects of the spatial frequency of test and reference stimuli on stereo-thresholds 33: 1545
Siderov, J. and Harwerth, R.S. Precision of stereoscopic depth perception from double images 33: 1553
VAN HATEREN, J.H.
van Hateren, J.H. Spatiotemporal contrast sensitivity of early vision 33: 257

HAWRYSHYN, C.W.
Beaudet, L., Browman, H.I. and Hawryshyn, C.W. Optic nerve response and retinal structure in rainbow trout of different sizes 33: 1739
HAYASHI, Y.
Sasaki, H., Inoue, T., Iso, H., Fukuda, Y. and Hayashi, Y. Light-dark discrimination after sciatic nerve transplantation to the sectioned optic nerve in adult hamsters 33: 877
HAYES, A.
Field, D.J., Hayes, A. and Hess, R.F. Contour integration by the human visual system: evidence for a local "association field," 33: 173
Hess, R.F. and Hayes, A. Neural recruitment explains "Weber's law" of spatial position 33: 1673
HAYES, R.G.J.
Hayes, R.G.J., Shaw, C., Chakravarthy, U. and Buchanan, K.D. Tachykinin-11 gene products in porcine ocular tissues: evidence for transcriptional and post-translational regulation 33: 1477
HAYHOE, M.M.
Trueswell, J.C. and Hayhoe, M.M. Surface segmentation mechanisms and motion perception 33: 313
HEEGER, D.
Chichilnisky, E.-J., Heeger, D. and Wandell, B.A. Functional segregation of color and motion perception examined in motion nulling 33: 2113
HEELEY, D.W.
Heeley, D.W., Buchanan-Smith, H.M. and Heywood, S. Orientation acuity for sine-wave gratings with random variation of spatial frequency 33: 2509
HEGGELUND, P.
Heggelund, P. Simultaneous luminance contrast with chromatic colors 33: 1709
HELSPER, E.
Vos, P.G., Bocheva, N., Yakimoff, N. and Helsper, E. Perceived location of two-dimensional patterns 33: 2157
HEMILÄ, S.
Koskelainen, A., Donner, K., Lerber, T. and Hemilä, S. pH regulation in frog cones studied by mass receptor photoresponses from the isolated retina 33: 2181
HENDRICKSON, A.E.
Koontz, M.A., Hendrickson, L.E., Brace, S.T. and Hendrickson, A.E. Immunocytochemical localization of GABA and glycine in amacrine and displaced amacrine cells of macaque monkey retina 33: 2617
HENDRICKSON, L.E.
Koontz, M.A., Hendrickson, L.E., Brace, S.T. and Hendrickson, A.E. Immunocytochemical localization of GABA and glycine in amacrine and displaced amacrine cells of macaque monkey retina 33: 2617
HENNING, G.B.
Derrington, A.M. and Henning, G.B. Detecting and discriminating the direction of motion of luminance and colour gratings 33: 799
Derrington, A.M., Fine, I. and Henning, G.B. Errors in direction-of-motion discrimination with dichoptically viewed stimuli 33: 1491
Derrington, A.M., Badcock, D.R. and Henning, G.B. Discriminating the direction of second-order motion at short stimulus durations 33: 1785
HERBOMEL, P.
Herbomel, P. and Ninio, J. Processing of linear elements in stereopsis: effects of positional and orientational distinctiveness 33: 1813
HERMES, B.
Hermes, B., Reuss, S. and Vollrath, L. Strain differences in the ratio of synaptic body types in photoreceptors of the rat retina 33: 2427

HERSHENSON, M.
Hershenson, M. Linear and rotation motion aftereffects as a function of inspection duration 33: 1913
HESS, R.F.
Field, D.J., Hayes, A. and Hess, R.F. Contour integration by the human visual system: evidence for a local "association field," 33: 173
Hess, R.F. and Anderson, S.J. Motion sensitivity and spatial undersampling in amblyopia 33: 881
Hess, R.F. and Hayes, A. Neural recruitment explains "Weber's law" of spatial position 33: 1673
Hess, R.F. and Field, D. Is the increased spatial uncertainty in the normal periphery due to spatial undersampling or uncalibrated disarray? 33: 2663
HEUER, H.
Heuer, H. Directional discrimination of motion in depth based on changing target vergence 33: 2153
HEYWOOD, S.
Heeley, D.W., Buchanan-Smith, H.M. and Heywood, S. Orientation acuity for sine-wave gratings with random variation of spatial frequency 33: 2509
HIKOSAKA, O.
Hikosaka, O., Miyauchi, S. and Shimojo, S. Focal visual attention produces illusory temporal order and motion sensation 33: 1219
HIRIS, E.
Blake, R. and Hiris, E. Another means for measuring the motion aftereffect 33: 1589
HOCHSTEIN, S.
Rubin, N. and Hochstein, S. Isolating the effect of one-dimensional motion signals on the perceived direction of moving two-dimensional objects 33: 1385
HOENDERS, B.J.
Stavenga, D.G., Smits, R.P. and Hoenders, B.J. Simple exponential functions describing the absorbance bands of visual pigment spectra 33: 1011
HOFFMANN, K.-P.
Ilg, U.J. and Hoffmann, K.-P. Motion perception during saccades 33: 211
HOFMANN, M.I.
Hofmann, M.I. and Hallett, P.E. Texture segregation based on two-dimensional relative phase differences in composite sine-wave grating patterns 33: 221
Hofmann, M.I. and Hallett, P.E. Preattentive discrimination of relative phase modelled by interacting Gabor or by difference-of-Gaussian filters 33: 2569
HOHNSBEIN, J.
Mateeff, S., Popov, D. and Hohnsbein, J. Multi-aperture viewing: perception of figures through very small aperatures 33: 2563
HONDA, H.
Honda, H. Saccade-contingent displacement of the apparent position of visual stimuli flashed on a dimly illuminated structured background 33: 709
HOOD, D.C.
Hood, D.C. and Birch, D.G. Light adaptation of human rod receptors: the leading edge of the human *a*-wave and models of rod receptor activity 33: 1605
HORVÁTH, G.
Horváth, G. On the possible function of the proximal lens unit of *Notonecta glauca* 33: 2437
HOWLAND, H.C.
Troilo, D., Howland, H.C. and Judge, S.J. Visual optics and retinal cone topography in the common marmoset (*Callithrix jacchus*) 33: 1301
Wildsoet, C.F., Howland, H.C., Falconer, S. and Dick, K. Chromatic aberration and accommodation: their role in emmetropization in the chick 33: 1593
Howland, H.C., Howland, M. and Murphy, C.J. Refractive state of the rhinoceros 33: 2649

HOWLAND, M.
Howland, H.C., Howland, M. and Murphy, C.J. Refractive state of the rhinoceros 33: 2649
HU, Q.
Hu, Q., Klein, S.A. and Carney, T. Can sinusoidal vernier acuity be predicted by contrast discrimination? 33: 1241
HUGHLETT, K.
Srebro, R., Oguz, R.M., Hughlett, K. and Purdy, P.D. Functional brain imaging: dipole localization and Laplacian methods 33: 2413
HUMANSKI, R.
Wilson, H.R. and Humanski, R. Spatial frequency adaptation and contrast gain control 33: 1133
HUMANSKI, R.A.
Humanski, R.A. and Wilson, H.R. Spatial-frequency adaptation: evidence for a multiple-channel model of short-wavelength-sensitive-cone spatial vision 33: 665
HUNT, D.M.
Hunt, D.M., Williams, A.J., Bowmaker, J.K. and Mollon, J.D. Structure and evolution of the polymorphic photopigment gene of the marmoset 33: 147

IJSPEERT, J.K.
IJspeert, J.K., van den Berg, T.J.T.P. and Spekreijse, H. An improved mathematical description of the foveal visual point spread function with parameters for age, pupil size and pigmentation 33: 15
IKEDA, H..
Hankins, M.W. and Ikeda, H. Consequences of transient retinal hypoxia on rod input to horizontal cells in the rat retina 33: 429
ILG, U.J.
Ilg, U.J. and Hoffmann, K.-P. Motion perception during saccades 33: 211
INOUE, T.
Sasaki, H., Inoue, T., Iso, H., Fukuda, Y. and Hayashi, Y. Light-dark discrimination after sciatic nerve transplantation to the sectioned optic nerve in adult hamsters 33: 877
ISO, H.
Sasaki, H., Inoue, T., Iso, H., Fukuda, Y. and Hayashi, Y. Light-dark discrimination after sciatic nerve transplantation to the sectioned optic nerve in adult hamsters 33: 877

JACOBS, G.H.
Neitz, J., Neitz, M. and Jacobs, G.H. More than three different cone pigments among people with normal color vision 33: 117
Jacobs, G.H., Neitz, J. and Neitz, M. Genetic basis of polymorphism in the color vision of platyrrhine monkeys 33: 269
Jacobs, G.H., Deegan, J.F. II, Neitz, J, Crognale, M.A. and Neitz, M. Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773
JACOBSON, L.D.
Jacobson, L.D., Gaska, J.P., Chen, H.-W. and Pollen, D.A. Structural testing of multi-input linear-nonlinear cascade models for cells in macaque striate cortex 33: 609
JAGGER, W.S.
Jagger, W.S. and Muntz, W.R.A. Aquatic vision and the modulation transfer properties of unlighted and diffusely lighted natural waters 33: 1755
JARVIS, J.R.
Jarvis, J.R. Subjective colour from achromatic flicker 33: 1131

JOHNSTON, E.B.
Johnston, E.B., Cumming, B.G. and Parker, A.J. Integration of depth modules: stereopsis and texture 33: 813
Cumming, B.G., Johnston, E.B. and Parker, A.J. Effects of different texture cues on curved surfaces viewed stereoscopically 33: 827
JORDAN, G.
Jordan, G. and Mollon, J.D. A study of women heterozygous for colour deficiencies 33: 1495
JORDAN, W.
Bauer, R. and Jordan, W. Different anisotropies for texture and grating stimuli in the visual map of cat striate cortex 33: 1447
JUDGE, S.J.
Troilo, D., Howland, H.C. and Judge, S.J. Visual optics and retinal cone topography in the common marmoset (*Callithrix jacchus*) 33: 1301
Troilo, D. and Judge, S.J. Ocular development and visual deprivation myopia in the common marmoset (*Callithrix jacchus*) 33: 1311

KAIHARA, T.
Ohtani, Y., Takemoto, A., Kaihara, T. and Ejima, Y. On the loss of apparent motion between isolated chromatic stimuli near isoluminance 33: 935
KAPLAN, P.S.
Peterzell, D.H., Werner, J.S. and Kaplan, P.S. Individual differences in contrast sensitivity functions: the first four months of life in humans 33: 381
KAPPERS, A.M.L.
Erens, R.G.F., Kappers, A.M.L. and Koenderink, J.J. Estimating the gradient direction of a luminance ramp 33: 1639
KENNISH, J.
Young, R.S.L. and Kennish, J. Transient and sustained components of the pupil response evoked by achromatic spatial patterns 33: 2239
KERTESZ, A.E.
Scheidt, R.A. and Kertesz, A.E. Temporal and spatial aspects of sensory interactions during human fusional response 33: 1259
KIM, J.
Kim, J. and Wilson, H.R. Dependence of plaid motion coherence on component grating directions 33: 2479
KIORPES, L.
Kiorpes, L., Kiper, D.C. and Movshon, J.A. Contrast sensitivity and vernier acuity in amblyopic monkeys 33: 2301
KIPER, D.C.
Kiorpes, L., Kiper, D.C. and Movshon, J.A. Contrast sensitivity and vernier acuity in amblyopic monkeys 33: 2301
KLEIN, S.A.
Hu, Q., Klein, S.A. and Carney, T. Can sinusoidal vernier acuity be predicted by contrast discrimination? 33: 1241
KNIGHT, R.
Knight, R. and Buck, S.L. Cone pathways and the $\pi 0$ and $\pi 0'$ rod mechanisms 33: 2203
KOCH, C.
Niebur, E., Koch, C. and Rosin, C. An oscillation-based model for the neuronal basis of attention 33: 2789
KOENDERINK, J.J.
Bijl, P. and Koenderink, J.J. Visibility of elliptical Gaussian blobs 33: 243
van de Grind, W.A., Koenderink, J.J., van Doorn, A.J., Milders, M.V. and Voerman, H. Inhomogeneity and anisotropies for motion detection in the monocular visual field of human observers 33: 1089

Erens, R.G.F., Kappers, A.M.L. and Koenderink, J.J. Estimating the gradient direction of a luminance ramp 33: 1639

KOJO, I.

Kojo, I., Liinasuo, M. and Rovamo, J. Spatial and temporal properties of illusory figures 33: 897

KOOI, F.L.

Kooi, F.L. Local direction of edge motion causes and abolishes the barberpole illusion 33: 2347

KOONTZ, M.A.

Koontz, M.A., Hendrickson, L.E., Brace, S.T. and Hendrickson, A.E. Immunocytochemical localization of GABA and glycine in amacrine and displaced amacrine cells of macaque monkey retina 33: 2617

Koontz, M.A. GABA-immunoreactive profiles provide synaptic input to the soma, axon hillock, and axon initial segment of ganglion cells in primate retina 33: 2629

KORTH, M.

Korth, M. Nguyen, N.X., Rix, R. and Sembritzki, O. Spatial and chromatic interactions in the human pattern electroretinogram 33: 275

Korth, M., Nguyen, N.X., Rix, R. and Sembritzki, O. Interactions of spectral, spatial, and temporal mechanisms in the human pattern visual evoked potential 33: 2397

KOSKELAINEN, A.

Koskelainen, A., Donner, K., Lerber, T. and Hemilä, S. pH regulation in frog cones studied by mass receptor photoresponses from the isolated retina 33: 2181

KOVACH, J.K.

Bowmaker, J.K., Kovach, J.K., Whitmore, A.V. and Loew, E.R. Visual pigments and oil droplets in genetically manipulated and carotenoid deprived quail: a microspectrophotometric study 33: 571

KOVACS, I.

Gorea, A., Papathomas, T.V. and Kovacs, I. Motion perception with spatiotemporally matched chromatic and achromatic information reveals a "slow" and a "fast" motion system 33: 2515

KOWLER, E.

Epelboim, J. and Kowler, E. Slow control with eccentric targets: evidence against a position-corrective model 33: 361

KREMERS, J.

Kremers, J., Lee, B.B., Pokorny, J. and Smith, V.C. Responses of macaque ganglion cells and human observers to compound periodic waveforms 33: 1997

KROMMENHOEK, K.P.

Krommenhoek, K.P., van Opstal, A.J., Gielen, C.C.A.M. and van Gisbergen, J.A.M. Remapping of neural activity in the motor colliculus: a neural network study 33: 1287

KRUGER, P.B.

Kruger, P.B., Mathews, S., Aggarwala, K.R. and Sanchez, N. Chromatic aberration and ocular focus: Fincham revisited 33: 1397

KRUSE, M.

Kruse, M. and Schmidt, K.-F. Studies on the dopamine-dependent modulation of amino acid-gated currents in cone horizontal cells of the perch (*Perca fluviatilis*) 33: 2031

KUKKONEN, H.

Näsänen, R., Kukkonen, H. and Rovamo, J. Spatial integration of band-pass filtered patterns in noise 33: 903

Rovamo, J., Kukkonen, H., Tiippana, K. and Näsänen, R. Effects of luminance and exposure time on contrast sensitivity in spatial noise 33: 1123

Kukkonen, H., Rovamo, J., Tiippana, K. and Näsänen, R. Michelson contrast, RMS contrast and energy of various spatial stimuli at threshold 33: 1431

KUMAR, T.

Kumar, T. and Glaser, D.A. Temporal aspects of depth contrast 33: 947

Kumar, T. and Glaser, D.A. Initial performance, learning and observer variability for hyperacuity tasks 33: 2287
KUYK, T.
Kuyk, T. and Fuhr, P.S. The effects of peripheral flicker on foveal spectral sensitivity 33: 627

LAGRÈZE, W.-D.
Sireteanu, R., Lagrèze, W.-D. and Constantinescu, D.H. Distortions in two-dimensional visual space perception in strabismic observers 33: 677
LANDY, M.S.
Young, M.J., Landy, M.S. and Maloney, L.T. A perturbation analysis of depth perception from combinations of texture and motion cues 33: 2685
LANKHEET, M.J.M.
Przybyszewski, A.W., Lankheet, M.J.M. and van de Grind, W.A. Nonlinearity and oscillations in X-type ganglion cells of the cat retina 33: 861
Lankheet, M.J.M., van Wezel, R.J.A., Prickaerts, J.H.H.J. and van de Grind, W.A. The dynamics of light adaptation in cat horizontal cell responses 33: 1153
Lankheet, M.J.M., Przybyszewski, A.W. and van de Grind, W.A. The lateral spread of light adaptation in cat horizontal cell responses 33: 1173
LARIMER, J.
Nerger, J.L., Piantanida, T.P. and Larimer, J. Color appearance of filled-in backgrounds affects hue cancellation, but not detection thresholds 33: 165
LATHAM, K.
Whitaker, D., Latham, K., Mäkelä, P. and Rovamo, J. Detection and discrimination of curvature in foveal and peripheral vision 33: 2215
LE GARGASSON, J.-F.
Guez, R.-E., Le Gargasson, J.-F., Rigaudière, F. and O'Regan, J.K. Is there a systematic location for the pseudo-fovea in patients with central scotoma? 33: 1271
LEDGEWAY, T.
Hammett, S.T., Ledgeway, T. and Smith, A.T. Transparent motion from feature- and luminance-based processes 33: 1119
LEE, B.B.
Kremers, J., Lee, B.B., Pokorny, J. and Smith, V.C. Responses of macaque ganglion cells and human observers to compound periodic waveforms 33: 1997
LEE, H.B.
Teeters, J.L., Arbib, M.A., Corbacho, F. and Lee, H.B. Quantitative modeling of responses of anuran retina: stimulus shape and size dependency 33: 2361
LENZI, P.
Barsanti, L., Passarelli, V., Lenzi, P., Walne, P.L., Dunlap, J.R. and Gualtieri, P. Effects of hydroxylamine, digitonin and triton X-100 on photoreceptor (paraflagellar swelling) and photoreception of *Euglena gracilis* 33: 2043
LERBER, T.
Koskelainen, A., Donner, K., Lerber, T. and Hemilä, S. pH regulation in frog cones studied by mass receptor photoresponses from the isolated retina 33: 2181
LESHER, G.W.
Lesher, G.W. and Mingolla, E. The role of edges and line-ends in illusory contour formation 33: 2253
LESLIE, R.
Osborne, N.N., Fitzgibbon, F., Nash, M., Liu, N.-P., Leslie, R. and Cholewinski, A. Serotonergic, 5-HT_2, receptor-mediated phosphoinositide turnover and mobilization of calcium in cultered rat retinal pigment epithelium cells 33: 2171
LEVI, D.M.
Waugh, S.J. and Levi, D.M. Visibility, timing and vernier acuity 33: 505
Waugh, S.J. and Levi, D.M. Visibility, luminance and vernier acuity 33: 527

Waugh, S.J. and Levi, D.M. Visibility and vernier acuity for separated targets 33: 539
Waugh, S.J., Levi, D.M. and Carney, T. Orientation, masking, and vernier acuity for line targets 33: 1619
Banton, T. and Levi, D.M. Spatial localization of motion-defined and luminance-defined contours 33: 2225
LI, Z.
Atick, J.J., Li, Z. and Redlich, A.N. What does post-adaptation color appearance reveal about cortical color representation? 33: 123
LIINASUO, M.
Kojo, I., Liinasuo, M. and Rovamo, J. Spatial and temporal properties of illusory figures 33: 897
LIN, T.
Lin, T., Grimes, P.A. and Stone, R.A. Expansion of the retinal pigment epithelium in experimental myopia 33: 1881
LINDSEY, D.T.
Sanocki, E., Lindsey, D.T., Winderickx, J., Teller, D.Y., Deeb, S.S. and Motulsky, A.G. Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139
LIU, N.-P.
Osborne, N.N., Fitzgibbon, F., Nash, M., Liu, N.-P., Leslie, R. and Cholewinski, A. Serotonergic, 5-HT_2, receptor-mediated phosphoinositide turnover and mobilization of calcium in cultered rat retinal pigment epithelium cells 33: 2171
LOEW, E.R.
Bowmaker, J.K., Kovach, J.K., Whitmore, A.V. and Loew, E.R. Visual pigments and oil droplets in genetically manipulated and carotenoid deprived quail: a microspectrophotometric study 33: 571
LOMAKIN, A.J.
Cogan, A.I., Lomakin, A.J. and Rossi, A.F. Depth in anticorrelated stereograms: effects of spatial density and interocular delay 33: 1959
LOMBARDI, G.
Moroni, F., Lombardi, G., Pellegrini-Faussone, S. and Moroni, F. Photochemically-induced lesion of the rat retina: a quantitative model for the evaluation of ischemia-induced retinal damage 33: 1887
LORENCEAU, J.
Lorenceau, J., Shiffrar, M., Wells, N. and Castet, E. Different motion sensitive units are involved in recovering the direction of moving lines 33: 1207
Castet, E., Lorenceau, J. and Bonnet, C. The inverse intensity effect is not lost with stimuli in apparent motion 33: 1697
Castet, E., Lorenceau, J., Shiffrar, M. and Bonnet, C. Perceived speed of moving lines depends on orientation, length, speed and luminance 33: 1921
LOSADA, M.A.
Losada, M.A., Navarro, R. and Santamaría, J. Relative contributions of optical and neural limitations to human contrast sensitivity at different luminance levels 33: 2321
LUCASSEN, M.P.
Lucassen, M.P. and Walraven, J. Quantifying color constancy: evidence for nonlinear processing of cone-specific contrast 33: 739
Theeuwes, J. and Lucassen, M.P. An adaptation-induced pop-out in visual search 33: 2353
LUNN, R.
Schor, C.M., Gleason, G. and Lunn, R. Interactions between short-term vertical phoria adaptation and nonconjugate adaptation of vertical pursuits 33: 55
Gleason, G., Schor, C., Lunn, R. and Maxwell, J. Directionally selective short-term nonconjugate adaptation of vertical pursuits 33: 65

Schor, C., Gleason, G., Maxwell, J. and Lunn, R. Spatial aspects of vertical phoria adaptation 33: 73
LUNTINEN, O.
Rovamo, J., Luntinen, O. and Näsänen, R. Modelling the dependence of contrast sensitivity on grating area and spatial frequency 33: 2773
LÜSCHOW, A.
Lüschow, A. and Nothdurft, H.C. Pop-out of orientation but no pop-out of motion at isoluminance 33: 91

MACKEBEN, M.
Mackeben, M. and Nakayama, K. Express attentional shifts 33: 85
MACLEOD, D.I.A.
Ahn, S.J. and MacLeod, D.I.A. Link-specific adaptation in the luminance and chromatic channels 33: 2271
MÄKELÄ, P.
Mäkelä, P., Whitaker, D. and Rovamo, J. Modelling of orientation discrimination across the visual field 33: 723
Whitaker, D., Latham, K., Mäkelä, P. and Rovamo, J. Detection and discrimination of curvature in foveal and peripheral vision 33: 2215
MAKOUS, W.
Chen, B., Makous, W. and Williams, D.R. Serial spatial filters in vision 33: 413
MALONEY, L.T.
Young, M.J., Landy, M.S. and Maloney, L.T. A perturbation analysis of depth perception from combinations of texture and motion cues 33: 2685
MANDL, G.
Mandl, G. Coding for stimulus velocity by temporal patterning of spike discharges in visual cells of cat superior colliculus 33: 1451
MANSFIELD, J.S.
Mansfield, J.S. and Parker, A.J. An orientation-tuned component in the contrast masking of stereopsis 33: 1535
MAR, C.
Teller, D.Y., Succop, A. and Mar, C. Infant eye movement asymmetries: stationary counterphase gratings elicit temporal-to-nasal optokinetic nystagmus in two-month-old infants under monocular test conditions 33: 1859
MAST, R.
Wilson, H.R. and Mast, R. Illusory motion of texture boundaries 33: 1437
MATEEFF, S.
Mateeff, S., Popov, D. and Hohnsbein, J. Multi-aperture viewing: perception of figures through very small aperatures 33: 2563
MATHER, G.
Mather, G. and West, S. Evidence for second-order motion detectors 33: 1109
MATHEWS, S.
Kruger, P.B., Mathews, S., Aggarwala, K.R. and Sanchez, N. Chromatic aberration and ocular focus: Fincham revisited 33: 1397
MAXWELL, J.
Gleason, G., Schor, C., Lunn, R. and Maxwell, J. Directionally selective short-term nonconjugate adaptation of vertical pursuits 33: 65
Schor, C., Gleason, G., Maxwell, J. and Lunn, R. Spatial aspects of vertical phoria adaptation 33: 73
MCCARTHY, J.E.
McCarthy, J.E. Directional adaptation effects with contrast modulated stimuli 33: 2653
MCCOURT, M.E.
McCourt, M.E. and Blakeslee, B. The effect of edge blur on grating induction magnitude 33: 2499

MCKEE, S.P.
McKee, S.P. and Harrad, R.A. Fusional suppression in normal and stereoanomalous observers 33: 1645
MEDINA, A.
Medina, A. and Fariza, E. Emmetropization as a first-order feedback system 33: 21
MEYER-ROCHOW, V.B.
Meyer-Rochow, V.B. and Stringer, I.A.N. A system of regular ridges instead of nipples on a compound eye that has to operate near the diffraction limit 33: 2645
MIALL, R.C.
Wolpert, D.M., Miall, R.C., Cumming, B. and Boniface, S.J. Retinal adaptation of visual processing time delays 33: 1421
MILDERS, M.V.
van de Grind, W.A., Koenderink, J.J., van Doorn, A.J., Milders, M.V. and Voerman, H. Inhomogeneity and anisotropies for motion detection in the monocular visual field of human observers 33: 1089
MINGOLLA, E.
Lesher, G.W. and Mingolla, E. The role of edges and line-ends in illusory contour formation 33: 2253
MIYAUCHI, S.
Hikosaka, O., Miyauchi, S. and Shimojo, S. Focal visual attention produces illusory temporal order and motion sensation 33: 1219
MOLLON, J.D.
Hunt, D.M., Williams, A.J., Bowmaker, J.K. and Mollon, J.D. Structure and evolution of the polymorphic photopigment gene of the marmoset 33: 147
Jordan, G. and Mollon, J.D. A study of women heterozygous for colour deficiencies 33: 1495
MORGAN, M.J.
Harris, J.M. and Morgan, M.J. Stereo and motion disparities interfere with positional averaging 33: 309
Ross, J., Speed, H.D. and Morgan, M.J. The effects of adaptation and masking on incremental thresholds for contrast 33: 2051
MORONI, F.
Moroni, F., Lombardi, G., Pellegrini-Faussone, S. and Moroni, F. Photochemically-induced lesion of the rat retina: a quantitative model for the evaluation of ischemia-induced retinal damage 33: 1887
MORRONE, M.C.
Morrone, M.C., Burr, D.C. and Fiorentini, A. Development of infant contrast sensitivity to chromatic stimuli 33: 2535
MORROW, M.J.
Morrow, M.J. and Sharpe, J.A. Smooth pursuit initiation in young and elderly subjects 33: 203
MOTULSKY, A.G.
Sanocki, E., Lindsey, D.T., Winderickx, J., Teller, D.Y., Deeb, S.S. and Motulsky, A.G. Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139
MOVSHON, J.A.
Kiorpes, L., Kiper, D.C. and Movshon, J.A. Contrast sensitivity and vernier acuity in amblyopic monkeys 33: 2301
MÜLLER, P.
Groner, R., Groner, M.T., Müller, P., Bischof, W.F. and Di Lollo, V. On the confounding effects of phosphor persistence in oscilloscopic displays 33: 913
MULLIGAN, J.B.
Mulligan, J.B. Nonlinear combination rules and the perception of visual motion transparency 33: 2021

MUNTZ, W.R.A.
Jagger, W.S. and Muntz, W.R.A. Aquatic vision and the modulation transfer properties of unlighted and diffusely lighted natural waters 33: 1755
MURAKAMI, I.
Murakami, I. and Shimojo, S. Motion capture changes to induced motion at higher lunimance contrasts, smaller eccentricities, and larger inducer sizes 33: 2091
MURPHY, C.J.
Howland, H.C., Howland, M. and Murphy, C.J. Refractive state of the rhinoceros 33: 2649
MUSTONEN, J.
Mustonen, J., Rovamo, J and Näsänen, R. The effects of grating area and spatial frequency on contrast sensitivity as a function of light level 33: 2065

NACHMIAS, J.
Nachmias, J. Masked detection of gratings: the standard model revisited 33: 1359
NAGY, A.L.
Nagy, A.L. and Wolf, S. Red-green color discrimination in peripheral vision 33: 235
NAKAYAMA, K.
Mackeben, M. and Nakayama, K. Express attentional shifts 33: 85
NÄSÄNEN, R.
Näsänen, R., Kukkonen, H. and Rovamo, J. Spatial integration of band-pass filtered patterns in noise 33: 903
Rovamo, J., Kukkonen, H., Tiippana, K. and Näsänen, R. Effects of luminance and exposure time on contrast sensitivity in spatial noise 33: 1123
Kukkonen, H., Rovamo, J., Tiippana, K. and Näsänen, R. Michelson contrast, RMS contrast and energy of various spatial stimuli at threshold 33: 1431
Mustonen, J., Rovamo, J. and Näsänen, R. The effects of grating area and spatial frequency on contrast sensitivity as a function of light level 33: 2065
Rovamo, J., Luntinen, O. and Näsänen, R. Modelling the dependence of contrast sensitivity on grating area and spatial frequency 33: 2773
NASH, M.
Osborne, N.N., Fitzgibbon, F., Nash, M., Liu, N.-P., Leslie, R. and Cholewinski, A. Serotonergic, 5-HT_2, receptor-mediated phosphoinositide turnover and mobilization of calcium in cultered rat retinal pigment epithelium cells 33: 2171
NAVARRO, R.
Losada, M.A., Navarro, R. and Santamaría, J. Relative contributions of optical and neural limitations to human contrast sensitivity at different luminance levels 33: 2321
NAWROT, M.
Nawrot, M. and Blake, R. On the perceptual identity of dynamic stereopsis and kinetic depth 33: 1561
Schall, J.D., Nawrot, M., Blake, R. and Yu, K. Visually guided attention is neutralized when informative cues are visible but unperceived 33: 2057
NEITZ, J.
Neitz, J., Neitz, M. and Jacobs, G.H. More than three different cone pigments among people with normal color vision 33: 117
Jacobs, G.H., Neitz, J. and Neitz, M. Genetic basis of polymorphism in the color vision of platyrrhine monkeys 33: 269
Jacobs, G.H., Deegan, J.F. II, Neitz, J, Crognale, M.A. and Neitz, M. Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773
NEITZ, M.
Neitz, J., Neitz, M. and Jacobs, G.H. More than three different cone pigments among people with normal color vision 33: 117

Jacobs, G.H., Neitz, J. and Neitz, M. Genetic basis of polymorphism in the color vision of platyrrhine monkeys 33: 269
Jacobs, G.H., Deegan, J.F. II, Neitz, J, Crognale, M.A. and Neitz, M. Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773
NERGER, J.L.
Nerger, J.L., Piantanida, T.P. and Larimer, J. Color appearance of filled-in backgrounds affects hue cancellation, but not detection thresholds 33: 165
NGUYEN, N.X.
Korth, M. Nguyen, N.X., Rix, R. and Sembritzki, O. Spatial and chromatic interactions in the human pattern electroretinogram 33: 275
Korth, M., Nguyen, N.X., Rix, R. and Sembritzki, O. Interactions of spectral, spatial, and temporal mechanisms in the human pattern visual evoked potential 33: 2397
NIEBUR, E.
Niebur, E., Koch, C. and Rosin, C. An oscillation-based model for the neuronal basis of attention 33: 2789
NINIO, J.
Herbomel, P. and Ninio, J. Processing of linear elements in stereopsis: effects of positional and orientational distinctiveness 33: 1813
NISHIDA, S.
Nishida, S. Spatiotemporal properties of motion perception for random-check contrast modulations 33: 633
NOEBELS, J.L.
Wu, S.M., Qiao, X., Noebels, J.L. and Yang, X.L. Localization and modulatory actions of zinc in vertebrate retina 33: 2611
NORCIA, A.M.
Allen, D., Banks, M.S. and Norcia, A.M. Does chromatic sensitivity develop more slowly than luminance sensitivity? 33: 2553
NOTHDURFT, H.C.
Lüschow, A. and Nothdurft, H.C. Pop-out of orientation but no pop-out of motion at isoluminance 33: 91
Nothdurft, H.C. Saliency effects across dimensions in visual search 33: 839
Nothdurft, H.C. and Parlitz, D. Absence of express saccades to texture or motion defined targets 33: 1367
Nothdurft, H.-C. The role of features in preattentive vision: comparison of orientation, motion and color cues 33: 1937

OGUZ, R.M.
Srebro, R., Oguz, R.M., Hughlett, K. and Purdy, P.D. Functional brain imaging: dipole localization and Laplacian methods 33: 2413
OHNISHI, K.
Ohnishi, K. Development of color vision in goldfish: selective delayed maturation of blue vision 33: 1665
OHTANI, Y.
Ohtani, Y., Takemoto, A., Kaihara, T. and Ejima, Y. On the loss of apparent motion between isolated chromatic stimuli near isoluminance 33: 935
OLSON, J.D.
Olson, J.D., Tulunay-Keesey, Ü. and Saleh, B.E.A. Fading time of retinally-stabilized images as a function of background luminance and target width 33: 2127
OLZAK, L.A.
Thomas, J.P., Olzak, L.A. and Shimozaki, S.S. The role of Fourier components in discrimination between two types of plaid patterns 33: 1573

VAN OPSTAL, A.J.
Krommenhoek, K.P., van Opstal, A.J., Gielen, C.C.A.M. and van Gisbergen, J.A.M. Remapping of neural activity in the motor colliculus: a neural network study 33: 1287
O'REGAN, J.K.
Guez, R.-E., Le Gargasson, J.-F., Rigaudière, F. and O'Regan, J.K. Is there a systematic location for the pseudo-fovea in patients with central scotoma? 33: 1271
OSBORNE, N.N.
Osborne, N.N., Fitzgibbon, F., Nash, M., Liu, N.-P., Leslie, R. and Cholewinski, A. Serotonergic, 5-HT_2, receptor-mediated phosphoinositide turnover and mobilization of calcium in cultered rat retinal pigment epithelium cells 33: 2171
OWSLEY, C.
Burton, K.B., Owsley, C. and Sloane, M.E. Aging and neural spatial contrast sensitivity: photopic vision 33: 939
OYSTER, C.W.
Oyster, C.W., Amthor, F.R. and Takahashi, E.S. Dendritic architecture of ON-OFF direction-selective ganglion cells in the rabbit retina 33: 579

PAPATHOMAS, T.V.
Gorea, A., Papathomas, T.V. and Kovacs, I. Motion perception with spatiotemporally matched chromatic and achromatic information reveals a "slow" and a "fast" motion system 33: 2515
PARKER, A.J.
Johnston, E.B., Cumming, B.G. and Parker, A.J. Integration of depth modules: stereopsis and texture 33: 813
Cumming, B.G., Johnston, E.B. and Parker, A.J. Effects of different texture cues on curved surfaces viewed stereoscopically 33: 827
Mansfield, J.S. and Parker, A.J. An orientation-tuned component in the contrast masking of stereopsis 33: 1535
PARLITZ, D.
Nothdurft, H.C. and Parlitz, D. Absence of express saccades to texture or motion defined targets 33: 1367
PASSARELLI, V.
Barsanti, L., Passarelli, V., Lenzi, P., Walne, P.L., Dunlap, J.R. and Gualtieri, P. Effects of hydroxylamine, digitonin and triton X-100 on photoreceptor (paraflagellar swelling) and photoreception of *Euglena gracilis* 33: 2043
PELLEGRINI-FAUSSONE, S.
Moroni, F., Lombardi, G., Pellegrini-Faussone, S. and Moroni, F. Photochemically-induced lesion of the rat retina: a quantitative model for the evaluation of ischemia-induced retinal damage 33: 1887
PELLI, D.G.
Farell, B. and Pelli, D.G. Can we attend to large and small at the same time? 33: 2757
PETERZELL, D.H.
Peterzell, D.H., Werner, J.S. and Kaplan, P.S. Individual differences in contrast sensitivity functions: the first four months of life in humans 33: 381
PETRY, H.M.
Petry, H.M. Magno and parvo visual channels and the subjective Necker cube 33: 845
PIANTANIDA, T.P.
Nerger, J.L., Piantanida, T.P. and Larimer, J. Color appearance of filled-in backgrounds affects hue cancellation, but not detection thresholds 33: 165
POKORNY, J.
Yeh, T., Pokorny, J. and Smith, V.C. Chromatic discrimination with variation in chromaticity and luminance: data and theory 33: 1835

Yeh, T., Smith, V.C. and Pokorny, J. Colorimetric purity discrimination: data and theory 33: 1847
Kremers, J., Lee, B.B., Pokorny, J. and Smith, V.C. Responses of macaque ganglion cells and human observers to compound periodic waveforms 33: 1997
POLAT, U.
Polat, U. and Sagi, D. Lateral interactions between spatial channels: suppression and facilitation revealed by lateral masking experiments 33: 993
POLLEN, D.A.
Jacobson, L.D., Gaska, J.P., Chen, H.-W. and Pollen, D.A. Structural testing of multi-input linear-nonlinear cascade models for cells in macaque striate cortex 33: 609
POPOV, D.
Mateeff, S., Popov, D. and Hohnsbein, J. Multi-aperture viewing: perception of figures through very small aperatures 33: 2563
PREVIC, F.H.
Previc, F.H. and Blume, J.L. Visual search asymmetries in three-dimensional space 33: 2697
PRICKAERTS, J.H.H.J.
Lankheet, M.J.M., van Wezel, R.J.A., Prickaerts, J.H.H.J. and van de Grind, W.A. The dynamics of light adaptation in cat horizontal cell responses 33: 1153
PRZYBYSZEWSKI, A.W.
Przybyszewski, A.W., Lankheet, M.J.M. and van de Grind, W.A. Nonlinearity and oscillations in X-type ganglion cells of the cat retina 33: 861
Lankheet, M.J.M., Przybyszewski, A.W. and van de Grind, W.A. The lateral spread of light adaptation in cat horizontal cell responses 33: 1173
PURDY, P.D.
Srebro, R., Oguz, R.M., Hughlett, K. and Purdy, P.D. Functional brain imaging: dipole localization and Laplacian methods 33: 2413

QIAO, X.
Wu, S.M., Qiao, X., Noebels, J.L. and Yang, X.L. Localization and modulatory actions of zinc in vertebrate retina 33: 2611

RAMACHANDRAN, V.S.
Ramachandran, V.S., Gregory, R.L. and Aiken, W. Perceptual fading of visual texture borders 33: 717
RAYMOND, J.E.
Raymond, J.E. Movement direction analysers: independence and bandwidth 33: 767
Raymond, J.E. Complete interocular transfer of motion adaptation effects on motion coherence thresholds 33: 1865
REDLICH, A.N.
Atick, J.J., Li, Z. and Redlich, A.N. What does post-adaptation color appearance reveal about cortical color representation? 33: 123
REGAN, D.
Regan, D. and Hamstra, S.J. Dissociation of discrimination thresholds for time to contact and for rate of angular expansion 33: 447
Regan, D. Binocular correlates of the direction of motion in depth 33: 2359
REUSS, S.
Hermes, B., Reuss, S. and Vollrath, L. Strain differences in the ratio of synaptic body types in photoreceptors of the rat retina 33: 2427
RIDDER, W.H. III
Ridder, W.H. III and Tomlinson, A. Suppression of contrast sensitivity during eyelid blinks 33: 1795

RIGAUDIÈRE, F.
Guez, R.-E., Le Gargasson, J.-F., Rigaudière, F. and O'Regan, J.K. Is there a systematic location for the pseudo-fovea in patients with central scotoma? 33: 1271
RIX, R.
Korth, M. Nguyen, N.X., Rix, R. and Sembritzki, O. Spatial and chromatic interactions in the human pattern electroretinogram 33: 275
Korth, M., Nguyen, N.X., Rix, R. and Sembritzki, O. Interactions of spectral, spatial, and temporal mechanisms in the human pattern visual evoked potential 33: 2397
ROGERS, B.J.
Cagenello, R. and Rogers, B.J. Anisotropies in the perception of stereoscopic surfaces: the role of orientation disparity 33: 2189
ROHRER, W.H.
Rohrer, W.H. and Sparks, D.L. Express saccades: the effects of spatial and temporal uncertainty 33: 2447
ROSIN, C.
Niebur, E., Koch, C. and Rosin, C. An oscillation-based model for the neuronal basis of attention 33: 2789
ROSS, J.
Ross, J., Speed, H.D. and Morgan, M.J. The effects of adaptation and masking on incremental thresholds for contrast 33: 2051
ROSSI, A.F.
Cogan, A.I., Lomakin, A.J. and Rossi, A.F. Depth in anticorrelated stereograms: effects of spatial density and interocular delay 33: 1959
ROVAMO, J.
Mäkelä, P., Whitaker, D. and Rovamo, J. Modelling of orientation discrimination across the visual field 33: 723
Kojo, I., Liinasuo, M. and Rovamo, J. Spatial and temporal properties of illusory figures 33: 897
Näsänen, R., Kukkonen, H. and Rovamo, J. Spatial integration of band-pass filtered patterns in noise 33: 903
Rovamo, J., Kukkonen, H., Tiippana, K. and Näsänen, R. Effects of luminance and exposure time on contrast sensitivity in spatial noise 33: 1123
Kukkonen, H., Rovamo, J., Tiippana, K. and Näsänen, R. Michelson contrast, RMS contrast and energy of various spatial stimuli at threshold 33: 1431
Mustonen, J., Rovamo, J. and Näsänen, R. The effects of grating area and spatial frequency on contrast sensitivity as a function of light level 33: 2065
Whitaker, D., Latham, K., Mäkelä, P. and Rovamo, J. Detection and discrimination of curvature in foveal and peripheral vision 33: 2215
Rovamo, J., Luntinen, O. and Näsänen, R. Modelling the dependence of contrast sensitivity on grating area and spatial frequency 33: 2773
RUBIN, N.
Rubin, N. and Hochstein, S. Isolating the effect of one-dimensional motion signals on the perceived direction of moving two-dimensional objects 33: 1385

SAARINEN, J.
Saarinen, J. Shifts of visual attention at fixation and away from fixation 33: 1113
SAGI, D.
Polat, U. and Sagi, D. Lateral interactions between spatial channels: suppression and facilitation revealed by lateral masking experiments 33: 993
SALEH, B.E.A.
Olson, J.D., Tulunay-Keesey, Ü. and Saleh, B.E.A. Fading time of retinally-stabilized images as a function of background luminance and target width 33: 2127

SANCHEZ, N.
Kruger, P.B., Mathews, S., Aggarwala, K.R. and Sanchez, N. Chromatic aberration and ocular focus: Fincham revisited 33: 1397
SANDLER, V.M.
Spitzer, H., Almon, M. and Sandler, V.M. A model for detection of spatial and temporal edges by a single X cell 33: 1871
SANOCKI, E.
Sanocki, E., Lindsey, D.T., Winderickx, J., Teller, D.Y., Deeb, S.S. and Motulsky, A.G. Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139
SANTAMARÍA, J.
Losada, M.A., Navarro, R. and Santamaría, J. Relative contributions of optical and neural limitations to human contrast sensitivity at different luminance levels 33: 2321
SASAKI, H.
Sasaki, H., Inoue, T., Iso, H., Fukuda, Y. and Hayashi, Y. Light-dark discrimination after sciatic nerve transplantation to the sectioned optic nerve in adult hamsters 33: 877
SCHALL, J.D.
Schall, J.D., Nawrot, M., Blake, R. and Yu, K. Visually guided attention is neutralized when informative cues are visible but unperceived 33: 2057
SCHEIDT, R.A.
Scheidt, R.A. and Kertesz, A.E. Temporal and spatial aspects of sensory interactions during human fusional response 33: 1259
SCHMIDT, K.-F.
Kruse, M. and Schmidt, K.-F. Studies on the dopamine-dependent modulation of amino acid-gated currents in cone horizontal cells of the perch (*Perca fluviatilis*) 33: 2031
SCHOR, C.M.
Schor, C.M., Gleason, G. and Lunn, R. Interactions between short-term vertical phoria adaptation and nonconjugate adaptation of vertical pursuits 33: 55
Gleason, G., Schor, C., Lunn, R. and Maxwell, J. Directionally selective short-term nonconjugate adaptation of vertical pursuits 33: 65
Schor, C., Gleason, G., Maxwell, J. and Lunn, R. Spatial aspects of vertical phoria adaptation 33: 73
SEGU, P.
Coletta, N.J., Segu, P. and Tiana, C.L.M. An oblique effect in parafoveal motion perception 33: 2747
SEKI, T.
Terakita, A., Tsukahara, Y., Hariyama, T., Seki, T. and Tashiro, H. Light-induced binding of proteins to rhabdomeric membranes in the retina of crayfish (*Procambarus clarkii*) 33: 2421
SEMBRITZKI, O.
Korth, M. Nguyen, N.X., Rix, R. and Sembritzki, O. Spatial and chromatic interactions in the human pattern electroretinogram 33: 275
Korth, M., Nguyen, N.X., Rix, R. and Sembritzki, O. Interactions of spectral, spatial, and temporal mechanisms in the human pattern visual evoked potential 33: 2397
SHADLEN, M.N.
Carney, T. and Shadlen, M.N. Dichoptic activation of the early motion system 33: 1977
SHARPE, J.A.
Morrow, M.J. and Sharpe, J.A. Smooth pursuit initiation in young and elderly subjects 33: 203
SHARPE, L.T.
Sharpe, L.T., Fach, C.C. and Stockman, A. The spectral properties of the two rod pathways 33: 2705

SHAW, C.
Hayes, R.G.J., Shaw, C., Chakravarthy, U. and Buchanan, K.D. Tachykinin-11 gene products in porcine ocular tissues: evidence for transcriptional and post-translational regulation 33: 1477
SHEINBERG, D.
Blake, A., Bülthoff, H.H. and Sheinberg, D. Shape from texture: ideal observers and human psychophysics 33: 1723
SHIFFRAR, M.
Lorenceau, J., Shiffrar, M., Wells, N. and Castet, E. Different motion sensitive units are involved in recovering the direction of moving lines 33: 1207
Castet, E., Lorenceau, J., Shiffrar, M. and Bonnet, C. Perceived speed of moving lines depends on orientation, length, speed and luminance 33: 1921
SHIMAZAKI, Y.
Shimazaki, Y. and Eguchi, E. Synthesis of 3-hydroxyretinal in the cytosol of the butterfly compound eye 33: 155
SHIMOJO, S.
Hikosaka, O., Miyauchi, S. and Shimojo, S. Focal visual attention produces illusory temporal order and motion sensation 33: 1219
Murakami, I. and Shimojo, S. Motion capture changes to induced motion at higher lunimance contrasts, smaller eccentricities, and larger inducer sizes 33: 2091
SHIMOZAKI, S.S.
Thomas, J.P., Olzak, L.A. and Shimozaki, S.S. The role of Fourier components in discrimination between two types of plaid patterns 33: 1573
SIDEROV, J.
Siderov, J. and Harwerth, R.S. Effects of the spatial frequency of test and reference stimuli on stereo-thresholds 33: 1545
Siderov, J. and Harwerth, R.S. Precision of stereoscopic depth perception from double images 33: 1553
SIEVING, P.A.
Geller, A.M. and Sieving, P.A. Assessment of foveal cone photoreceptors in Stargardt's macular dystrophy using a small dot detection task 33: 1509
SIMMONS, D.R.
Foster, D.H., Simmons, D.R. and Cook, M.J. The cue for contour-curvature discrimination 33: 329
SIRETEANU, R.
Sireteanu, R., Lagrèze, W.-D. and Constantinescu, D.H. Distortions in two-dimensional visual space perception in strabismic observers 33: 677
SITTIG, A.C.
Zohary, E. and Sittig, A.C. Mechanisms of velocity constancy 33: 2467
SLAUGHTER, M.M.
Gurevich, L. and Slaughter, M.M. Comparison of the waveforms of the ON bipolar neuron and the *b*-wave of the electroretinogram 33: 2431
SLAVEN, A.
Degg, C., Slaven, A. and Armstrong, R.A. Chronotopographical analysis of the pattern onset visual evoked magnetic response (VEMR): implications for waveform peak identification 33: 2443
SLOANE, M.E.
Burton, K.B., Owsley, C. and Sloane, M.E. Aging and neural spatial contrast sensitivity: photopic vision 33: 939
SMITH, A.T.
Hammett, S.T., Ledgeway, T. and Smith, A.T. Transparent motion from feature- and luminance-based processes 33: 1119
SMITH, V.C.
Yeh, T., Pokorny, J. and Smith, V.C. Chromatic discrimination with variation in chromaticity and luminance: data and theory 33: 1835

Yeh, T., Smith, V.C. and Pokorny, J. Colorimetric purity discrimination: data and theory 33: 1847
Kremers, J., Lee, B.B., Pokorny, J. and Smith, V.C. Responses of macaque ganglion cells and human observers to compound periodic waveforms 33: 1997
SMITS, R.P.
Stavenga, D.G., Smits, R.P. and Hoenders, B.J. Simple exponential functions describing the absorbance bands of visual pigment spectra 33: 1011
SNIPPE, H.P.
Snippe, H.P. and Werkhoven, P. Pulse modulation detection in human motion vision 33: 647
SNOWDEN, R.J.
Treue, S., Snowden, R.J. and Andersen R.A. The effect of transiency on perceived velocity of visual patterns: a case of "temporal capture," 33: 791
SOLOMON, J.A.
Solomon, J.A., Sperling, G. and Chubb, C. The lateral inhibition of perceived contrast is indifferent to on-center/off-center segregation, but specific to orientation 33: 2671
SPARKS, D.L.
Rohrer, W.H. and Sparks, D.L. Express saccades: the effects of spatial and temporal uncertainty 33: 2447
SPEAR, P.D.
Spear, P.D. Neural bases of visual deficits during aging 33: 2589
SPEED, H.D.
Ross, J., Speed, H.D. and Morgan, M.J. The effects of adaptation and masking on incremental thresholds for contrast 33: 2051
SPEKREIJSE, H.
IJspeert, J.K., van den Berg, T.J.T.P. and Spekreijse, H. An improved mathematical description of the foveal visual point spread function with parameters for age, pupil size and pigmentation 33: 15
SPERLING, G.
Werkhoven, P., Sperling, G. and Chubb, C. The dimensionality of texture-defined motion: a single channel theory 33: 463
Solomon, J.A., Sperling, G. and Chubb, C. The lateral inhibition of perceived contrast is indifferent to on-center/off-center segregation, but specific to orientation 33: 2671
SPITZER, H.
Spitzer, H., Almon, M. and Sandler, V.M. A model for detection of spatial and temporal edges by a single X cell 33: 1871
SREBRO, R.
Srebro, R., Oguz, R.M., Hughlett, K. and Purdy, P.D. Functional brain imaging: dipole localization and Laplacian methods 33: 2413
STABELL, B.
Stabell, B. and Stabell, U. Rod-cone interaction in form detection 33: 195
STABELL, U.
Stabell, B. and Stabell, U. Rod-cone interaction in form detection 33: 195
STALMEIER, P.F.M.
Bossink, C.J.H., Stalmeier, P.F.M. and de Weert, Ch.M.M. A test of Levelt's second proposition for binocular rivalry 33: 1413
STAVENGA, D.G.
Stavenga, D.G., Smits, R.P. and Hoenders, B.J. Simple exponential functions describing the absorbance bands of visual pigment spectra 33: 1011
STOCKMAN, A.
Sharpe, L.T., Fach, C.C. and Stockman, A. The spectral properties of the two rod pathways 33: 2705
STONE, R.A.
Lin, T., Grimes, P.A. and Stone, R.A. Expansion of the retinal pigment epithelium in experimental myopia 33: 1881

STRINGER, I.A.N.
Meyer-Rochow, V.B. and Stringer, I.A.N. A system of regular ridges instead of nipples on a compound eye that has to operate near the diffraction limit 33: 2645
SUCCOP, A.
Teller, D.Y., Succop, A. and Mar, C. Infant eye movement asymmetries: stationary counterphase gratings elicit temporal-to-nasal optokinetic nystagmus in two-month-old infants under monocular test conditions 33: 1859
SUTTER, A.
Graham, N., Sutter, A. and Venkatesan, C. Spatial-frequency- and orientation-selectivity of simple and complex channels in region segregation 33: 1893
SWINNEN, V.
Wagemans, J., Van Gool, L., Swinnen, V. and Van Horebeek, J. Higher-order structure in regularity detection 33: 1067
SYRKIN, G.
Gur, M. and Syrkin, G. Color enhances Mach bands detection threshold and perceived brightness 33: 2313

TADMOR, Y.
Tadmor, Y. and Tolhurst, D.J. Both the phase and the amplitude spectrum may determine the appearance of natural images 33: 141
TAKAHASHI, E.S.
Oyster, C.W., Amthor, F.R. and Takahashi, E.S. Dendritic architecture of ON-OFF direction-selective ganglion cells in the rabbit retina 33: 579
TAKEMOTO, A.
Ohtani, Y., Takemoto, A., Kaihara, T. and Ejima, Y. On the loss of apparent motion between isolated chromatic stimuli near isoluminance 33: 935
TASHIRO, H.
Terakita, A., Tsukahara, Y., Hariyama, T., Seki, T. and Tashiro, H. Light-induced binding of proteins to rhabdomeric membranes in the retina of crayfish (*Procambarus clarkii*) 33: 2421
TASSINARI, G.
Tassinari, G. and Berlucchi, G. Sensory and attentional components of slowing of manual reaction time to non-fixated visual targets by ipsilateral primes 33: 1525
TEAKLE, E.M.
Teakle, E.M., Wildsoet, C.F. and Vaney, D.I. The spatial organization of tyrosine hydroxylase-immunoreactive amacrine cells in the chicken retina and the consequences of myopia 33: 2383
TEETERS, J.L.
Teeters, J.L., Arbib, M.A., Corbacho, F. and Lee, H.B. Quantitative modeling of responses of anuran retina: stimulus shape and size dependency 33: 2361
TELLER, D.Y.
Teller, D.Y., Succop, A. and Mar, C. Infant eye movement asymmetries: stationary counterphase gratings elicit temporal-to-nasal optokinetic nystagmus in two-month-old infants under monocular test conditions 33: 1859
Sanocki, E., Lindsey, D.T., Winderickx, J., Teller, D.Y., Deeb, S.S. and Motulsky, A.G. Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139
TERAKITA, A.
Terakita, A., Tsukahara, Y., Hariyama, T., Seki, T. and Tashiro, H. Light-induced binding of proteins to rhabdomeric membranes in the retina of crayfish (*Procambarus clarkii*) 33: 2421
THEEUWES, J.
Theeuwes, J. and Lucassen, M.P. An adaptation-induced pop-out in visual search 33: 2353

THOMAS, J.P.
Thomas, J.P., Olzak, L.A. and Shimozaki, S.S. The role of Fourier components in discrimination between two types of plaid patterns 33: 1573
THORPE, A.
Thorpe, A., Douglas, R.H. and Truscott, R.J.W. Spectral transmission and short-wave absorbing pigments in the fish lens - I. Phylogenetic distribution and identity 33: 289
Thorpe, A. and Douglas, R.H. Spectral transmission and short-wave absorbing pigments in the fish lens - II. Effects of age 33: 301
TIANA, C.L.M.
Coletta, N.J., Segu, P. and Tiana, C.L.M. An oblique effect in parafoveal motion perception 33: 2747
TIIPPANA, K.
Rovamo, J., Kukkonen, H., Tiippana, K. and Näsänen, R. Effects of luminance and exposure time on contrast sensitivity in spatial noise 33: 1123
Kukkonen, H., Rovamo, J., Tiippana, K. and Näsänen, R. Michelson contrast, RMS contrast and energy of various spatial stimuli at threshold 33: 1431
TOLHURST, D.J.
Tadmor, Y. and Tolhurst, D.J. Both the phase and the amplitude spectrum may determine the appearance of natural images 33: 141
TOMLINSON, A.
Ridder, W.H. III and Tomlinson, A. Suppression of contrast sensitivity during eyelid blinks 33: 1795
TREUE, S.
Treue, S., Snowden, R.J. and Andersen R.A. The effect of transiency on perceived velocity of visual patterns: a case of "temporal capture," 33: 791
TROILO, D.
Troilo, D., Howland, H.C. and Judge, S.J. Visual optics and retinal cone topography in the common marmoset (*Callithrix jacchus*) 33: 1301
Troilo, D. and Judge, S.J. Ocular development and visual deprivation myopia in the common marmoset (*Callithrix jacchus*) 33: 1311
TRUESWELL, J.C.
Trueswell, J.C. and Hayhoe, M.M. Surface segmentation mechanisms and motion perception 33: 313
TRUSCOTT, R.J.W.
Thorpe, A., Douglas, R.H. and Truscott, R.J.W. Spectral transmission and short-wave absorbing pigments in the fish lens - I. Phylogenetic distribution and identity 33: 289
TSUKAHARA, Y.
Terakita, A., Tsukahara, Y., Hariyama, T., Seki, T. and Tashiro, H. Light-induced binding of proteins to rhabdomeric membranes in the retina of crayfish (*Procambarus clarkii*) 33: 2421
TULUNAY-KEESEY, Ü.
Olson, J.D., Tulunay-Keesey, Ü. and Saleh, B.E.A. Fading time of retinally-stabilized images as a function of background luminance and target width 33: 2127

UKHANOV, K.Y.
Gribakin, F.G. and Ukhanov, K.Y. Light scattering in the eye of the blowfly *chalky* mutant: the effect on spectral sensitivity of photoreceptors R1-6 33: 1185

VALLORTIGARA, G.
Bressan, P. and Vallortigara, G. What induces capture in motion capture? 33: 2109

VAN DEN BERG, A.V.
Van Rijn, L.J. and Van den Berg, A.V. Binocular eye orientation during fixations: Listing's law extended to include eye vergence 33: 691
VAN GOOL, L.
Wagemans, J., Van Gool, L., Swinnen, V. and Van Horebeek, J. Higher-order structure in regularity detection 33: 1067
VAN HOREBEEK, J.
Wagemans, J., Van Gool, L., Swinnen, V. and Van Horebeek, J. Higher-order structure in regularity detection 33: 1067
VAN RIJN, L.J.
Van Rijn, L.J. and Van den Berg, A.V. Binocular eye orientation during fixations: Listing's law extended to include eye vergence 33: 691
VANEY, D.I.
Teakle, E.M., Wildsoet, C.F. and Vaney, D.I. The spatial organization of tyrosine hydroxylase-immunoreactive amacrine cells in the chicken retina and the consequences of myopia 33: 2383
VENKATESAN, C.
Graham, N., Sutter, A. and Venkatesan, C. Spatial-frequency- and orientation-selectivity of simple and complex channels in region segregation 33: 1893
VERSTRATEN, F.A.J.
Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Spatio-temporal characteristics of human motion perception 33: 1193
VOERMAN, H.
van de Grind, W.A., Koenderink, J.J., van Doorn, A.J., Milders, M.V. and Voerman, H. Inhomogeneity and anisotropies for motion detection in the monocular visual field of human observers 33: 1089
VOLLRATH, L.
Hermes, B., Reuss, S. and Vollrath, L. Strain differences in the ratio of synaptic body types in photoreceptors of the rat retina 33: 2427
VOS, P.G.
Vos, P.G., Bocheva, N., Yakimoff, N. and Helsper, E. Perceived location of two-dimensional patterns 33: 2157

WAGEMANS, J.
Wagemans, J., Van Gool, L., Swinnen, V. and Van Horebeek, J. Higher-order structure in regularity detection 33: 1067
WAGNER, H.-J.
Wagner, H.-J. and Behrens, U.D. Microanatomy of the dopaminergic system in the rainbow trout retina 33: 1345
WALNE, P.L.
Barsanti, L., Passarelli, V., Lenzi, P., Walne, P.L., Dunlap, J.R. and Gualtieri, P. Effects of hydroxylamine, digitonin and triton X-100 on photoreceptor (paraflagellar swelling) and photoreception of *Euglena gracilis* 33: 2043
WALRAVEN, J.
Lucassen, M.P. and Walraven, J. Quantifying color constancy: evidence for nonlinear processing of cone-specific contrast 33: 739
WANDELL, B.A.
Chichilnisky, E.-J., Heeger, D. and Wandell, B.A. Functional segregation of color and motion perception examined in motion nulling 33: 2113
WÄSSLE, H.
Grünert, U., Greferath, U., Boycott, B.B. and Wässle, H. Parasol (P) ganglion-cells of the primate fovea: immunocytochemical staining with antibodies against $GABA_A$-receptors 33: 1

WATAMANIUK, S.N.J.
Watamaniuk, S.N.J., Grzywacz, N.M. and Yuille, A.L. Dependence of speed and direction perception on cinematogram dot density 33: 849
WATANABE, T.
Watanabe, T. and Cavanagh, P. Transparent surfaces defined by implicit X junctions 33: 2339
WAUGH, S.J.
Waugh, S.J. and Levi, D.M. Visibility, timing and vernier acuity 33: 505
Waugh, S.J. and Levi, D.M. Visibility, luminance and vernier acuity 33: 527
Waugh, S.J. and Levi, D.M. Visibility and vernier acuity for separated targets 33: 539
Waugh, S.J., Levi, D.M. and Carney, T. Orientation, masking, and vernier acuity for line targets 33: 1619
WELLS, N.
Lorenceau, J., Shiffrar, M., Wells, N. and Castet, E. Different motion sensitive units are involved in recovering the direction of moving lines 33: 1207
WENDEROTH, P.
Burke, D. and Wenderoth, P. The effect of interactions between one-dimensional component gratings on two-dimensional motion perception 33: 343
Burke, D. and Wenderoth, P. Determinants of two-dimensional motion aftereffects induced by simultaneously- and alternately-presented plaid components 33: 351
WERKHOVEN, P.
Werkhoven, P., Sperling, G. and Chubb, C. The dimensionality of texture-defined motion: a single channel theory 33: 463
Snippe, H.P. and Werkhoven, P. Pulse modulation detection in human motion vision 33: 647
WERNER, J.S.
Peterzell, D.H., Werner, J.S. and Kaplan, P.S. Individual differences in contrast sensitivity functions: the first four months of life in humans 33: 381
WEST, S.
Mather, G. and West, S. Evidence for second-order motion detectors 33: 1109
WESTHEIMER, G.
Westheimer, G. Phosphor persistence in oscilloscopic displays 33: 2337
VAN WEZEL, R.J.A.
Lankheet, M.J.M., van Wezel, R.J.A., Prickaerts, J.H.H.J. and van de Grind, W.A. The dynamics of light adaptation in cat horizontal cell responses 33: 1153
WHITAKER, D.
Whitaker, D. What part of a vernier stimulus determines performance? 33: 27
Mäkelä, P., Whitaker, D. and Rovamo, J. Modelling of orientation discrimination across the visual field 33: 723
Whitaker, D., Latham, K., Mäkelä, P. and Rovamo, J. Detection and discrimination of curvature in foveal and peripheral vision 33: 2215
WHITMORE, A.V.
Bowmaker, J.K., Kovach, J.K., Whitmore, A.V. and Loew, E.R. Visual pigments and oil droplets in genetically manipulated and carotenoid deprived quail: a microspectrophotometric study 33: 571
WILDSOET, C.F.
Wildsoet, C.F., Howland, H.C., Falconer, S. and Dick, K. Chromatic aberration and accommodation: their role in emmetropization in the chick 33: 1593
Teakle, E.M., Wildsoet, C.F. and Vaney, D.I. The spatial organization of tyrosine hydroxylase-immunoreactive amacrine cells in the chicken retina and the consequences of myopia 33: 2383
WILLIAMS, A.J.
Hunt, D.M., Williams, A.J., Bowmaker, J.K. and Mollon, J.D. Structure and evolution of the polymorphic photopigment gene of the marmoset 33: 147

WILLIAMS, D.R.
Brainard, D.H. and Williams, D.R. Spatial reconstruction of signals from short-wavelength cones 33: 105
Chen, B., Makous, W. and Williams, D.R. Serial spatial filters in vision 33: 413
WILSON, H.R.
Yo, C. and Wilson, H.R. Peripheral temporal frequency channels code frequency and speed inaccurately but allow accurate discrimination 33: 33
Humanski, R.A. and Wilson, H.R. Spatial-frequency adaptation: evidence for a multiple-channel model of short-wavelength-sensitive-cone spatial vision 33: 665
Wilson, H.R. and Humanski, R. Spatial frequency adaptation and contrast gain control 33: 1133
Wilson, H.R. and Mast, R. Illusory motion of texture boundaries 33: 1437
Kim, J. and Wilson, H.R. Dependence of plaid motion coherence on component grating directions 33: 2479
WINDERICKX, J.
Sanocki, E., Lindsey, D.T., Winderickx, J., Teller, D.Y., Deeb, S.S. and Motulsky, A.G. Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139
WINN, B.
Gray, L.S., Winn, B. and Gilmartin, B. Accommodative microfluctuations and pupil diameter 33: 2083
WOLF, S.
Nagy, A.L. and Wolf, S. Red-green color discrimination in peripheral vision 33: 235
WOLPERT, D.M.
Wolpert, D.M., Miall, R.C., Cumming, B. and Boniface, S.J. Retinal adaptation of visual processing time delays 33: 1421
WU, P.-y.
Young, R.S.L., Han, B.-c. and Wu, P.-y. Transient and sustained components of the pupillary responses evoked by luminance and color 33: 437
WU, S.M.
Yang, X.-L. and Wu, S.M. Effects of GABA on horizontal cells in the tiger salamander retina 33: 1339
Wu, S.M., Qiao, X., Noebels, J.L. and Yang, X.L. Localization and modulatory actions of zinc in vertebrate retina 33: 2611
WURTZ, R.H.
Duffy, C.J. and Wurtz, R.H. An illusory transformation of optic flow fields 33: 1481
WYATT, H.J.
Wyatt, H.J. Application of a simple mechanical model of accommodation to the aging eye 33: 731

XIE, W.
Alexander, K.R., Xie, W. and Derlacki, D.J. The effect of contrast polarity on letter identification 33: 2491

YAKIMOFF, N.
Vos, P.G., Bocheva, N., Yakimoff, N. and Helsper, E. Perceived location of two-dimensional patterns 33: 2157
YANG, K.C.H.
Elliott, D.B., Yang, K.C.H., Dumbleton, K. and Cullen, A.P. Ultraviolet-induced lenticular fluorescence: intraocular straylight affecting visual function 33: 1827

YANG, X.-L.
Yang, X.-L. and Wu, S.M. Effects of GABA on horizontal cells in the tiger salamander retina 33: 1339
YANG, X.L.
Wu, S.M., Qiao, X., Noebels, J.L. and Yang, X.L. Localization and modulatory actions of zinc in vertebrate retina 33: 2611
YEH, S.-L.
Zhang, J., Yeh, S.-L. and De Valois, K.K. Motion contrast and motion integration 33: 2721
YEH, T.
Yeh, T., Pokorny, J. and Smith, V.C. Chromatic discrimination with variation in chromaticity and luminance: data and theory 33: 1835
Yeh, T., Smith, V.C. and Pokorny, J. Colorimetric purity discrimination: data and theory 33: 1847
YO, C.
Yo, C. and Wilson, H.R. Peripheral temporal frequency channels code frequency and speed inaccurately but allow accurate discrimination 33: 33
YOUNG, M.J.
Young, M.J., Landy, M.S. and Maloney, L.T. A perturbation analysis of depth perception from combinations of texture and motion cues 33: 2685
YOUNG, R.S.L.
Young, R.S.L., Han, B.-c. and Wu, P.-y. Transient and sustained components of the pupillary responses evoked by luminance and color 33: 437
Young, R.S.L. and Kennish, J. Transient and sustained components of the pupil response evoked by achromatic spatial patterns 33: 2239
YU, K.
Schall, J.D., Nawrot, M., Blake, R. and Yu, K. Visually guided attention is neutralized when informative cues are visible but unperceived 33: 2057
YUILLE, A.L.
Watamaniuk, S.N.J., Grzywacz, N.M. and Yuille, A.L. Dependence of speed and direction perception on cinematogram dot density 33: 849

ZAIDI, Q.
Zaidi, Q. and Halevy, D. Visual mechanisms that signal the direction of color changes 33: 1037
Zaidi, Q. and Zipser, N. Induced contrast from radial patterns 33: 1281
ZANKER, J.M.
Zanker, J.M. Theta motion: a paradoxical stimulus to explore higher order motion extraction 33: 553
ZHANG, J.
Zhang, J., Yeh, S.-L. and De Valois, K.K. Motion contrast and motion integration 33: 2721
ZIPSER, N.
Zaidi, Q. and Zipser, N. Induced contrast from radial patterns 33: 1281
ZLATKOVA, M.
Zlatkova, M. Orientation identification at different background levels: its precision and distortions 33: 2073
ZOHARY, E.
Zohary, E. and Sittig, A.C. Mechanisms of velocity constancy 33: 2467
ZUCKER, S.
Elder, J. and Zucker, S. The effect of contour closure on the rapid discrimination of two-dimensional shapes 33: 981

SUBJECT INDEX

ABERRATION
Chromatic aberration and ocular focus: Fincham revisited 33: 1397
Chromatic aberration and accommodation: their role in emmetropization in the chick 33: 1593

ACCOMMODATION
Application of a simple mechanical model of accommodation to the aging eye 33: 731
Chromatic aberration and ocular focus: Fincham revisited 33: 1397
Chromatic aberration and accommodation: their role in emmetropization in the chick 33: 1593
Accommodative microfluctuations and pupil diameter 33: 2083

ACUITY (*see also* STEREOPSIS; HYPERACUITY)
The visual acuity for the lateral visual field of the pigeon (*Columba livia*) 33: 1659
Ultraviolet-induced lenticular fluorescence: intraocular straylight affecting visual function 33: 1827
The effect of contrast polarity on letter identification 33: 2491

ADAPTATION
Retinal adaptation of visual processing time delays 33: 1421

ADAPTATION, CHROMATIC
What does post-adaptation color appearance reveal about cortical color representation? 33: 123
Rank orderings of photoreceptor photon catches from natural objects are nearly illuminant-invariant 33: 131
Spatial and chromatic interactions in the human pattern electroretinogram 33: 275
Link-specific adaptation in the luminance and chromatic channels 33: 2271
An adaptation-induced pop-out in visual search 33: 2353

ADAPTATION, DARK
Properties of the visual channels that underlie adaptation to gradual change of luminance 33: 47
Rod-cone interaction in form detection 33: 195

ADAPTATION, LIGHT
Properties of the visual channels that underlie adaptation to gradual change of luminance 33: 47
The dynamics of light adaptation in cat horizontal cell responses 33: 1153
The lateral spread of light adaptation in cat horizontal cell responses 33: 1173
Microanatomy of the dopaminergic system in the rainbow trout retina 33: 1345
Light adaptation of human rod receptors: the leading edge of the human *a*-wave and models of rod receptor activity 33: 1605
Orientation identification at different background levels: its precision and distortions 33: 2073
Fading time of retinally-stabilized images as a function of background luminance and target width 33: 2127
Link-specific adaptation in the luminance and chromatic channels 33: 2271

ADAPTATION, MOTION
Movement direction analysers: independence and bandwidth 33: 767
Another means for measuring the motion aftereffect 33: 1589
Linear and rotation motion aftereffects as a function of inspection duration 33: 1913
Directional adaptation effects with contrast modulated stimuli 33: 2653

ADAPTATION, OCULOMOTOR
Interactions between short-term vertical phoria adaptation and nonconjugate adaptation of vertical pursuits 33: 55
Directionally selective short-term nonconjugate adaptation of vertical pursuits 33: 65
Spatial aspects of vertical phoria adaptation 33: 73

ADAPTATION, SPATIAL
Spatial-frequency adaptation: evidence for a multiple-channel model of short-wavelength-sensitive-cone spatial vision 33: 665
Forward pattern masking and adaptation: effects of duration, interstimulus interval, contrast, and spatial and temporal frequency 33: 959
Spatial frequency adaptation and contrast gain control 33: 1133
The effects of adaptation and masking on incremental thresholds for contrast 33: 2051

AFTEREFFECTS (*see also* ILLUSION; PERSISTENCE)
Determinants of two-dimensional motion aftereffects induced by simultaneously- and alternately-presented plaid components 33: 351
Movement direction analysers: independence and bandwidth 33: 767
Spatial frequency adaptation and contrast gain control 33: 1133
Another means for measuring the motion aftereffect 33: 1589
Complete interocular transfer of motion adaptation effects on motion coherence thresholds 33: 1865
Linear and rotation motion aftereffects as a function of inspection duration 33: 1913
Dichoptic activation of the early motion system 33: 1977
An adaptation-induced pop-out in visual search 33: 2353
Directional adaptation effects with contrast modulated stimuli 33: 2653

AFTERIMAGES (*see* AFTEREFFECTS)

AGING
An improved mathematical description of the foveal visual point spread function with parameters for age, pupil size and pigmentation 33: 15
Smooth pursuit initiation in young and elderly subjects 33: 203
Spectral transmission and short-wave absorbing pigments in the fish lens - II. Effects of age 33: 301
Application of a simple mechanical model of accommodation to the aging eye 33: 731
Aging and neural spatial contrast sensitivity: photopic vision 33: 939
Ultraviolet-induced lenticular fluorescence: intraocular straylight affecting visual function 33: 1827
Neural bases of visual deficits during aging 33: 2589

ALIASING
Spatial reconstruction of signals from short-wavelength cones 33: 105
Motion sensitivity and spatial undersampling in amblyopia 33: 881
An oblique effect in parafoveal motion perception 33: 2747

ALIGNMENT (*see* HYPERACUITY)

AMACRINE CELLS
Acetylcholinesterase and choline acetyltransferase localization patterns do correspond in cat and rat retinas 33: 1747
The spatial organization of tyrosine hydroxylase-immunoreactive amacrine cells in the chicken retina and the consequences of myopia 33: 2383
Immunocytochemical localization of GABA and glycine in amacrine and displaced amacrine cells of macaque monkey retina 33: 2617
GABA-immunoreactive profiles provide synaptic input to the soma, axon hillock, and axon initial segment of ganglion cells in primate retina 33: 2629

AMBLYOPIA
Distortions in two-dimensional visual space perception in strabismic observers 33: 677
Motion sensitivity and spatial undersampling in amblyopia 33: 881
Fusional suppression in normal and stereoanomalous observers 33: 1645
Contrast sensitivity and vernier acuity in amblyopic monkeys 33: 2301

ANTIBODIES (*see* IMMUNOCHEMISTRY)

APPARATUS (*see also* TECHNIQUES)
On the confounding effects of phosphor persistence in oscilloscopic displays 33: 913
Phosphor persistence in oscilloscopic displays 33: 2337

ATTENTION
Express attentional shifts 33: 85
Pop-out of orientation but no pop-out of motion at isoluminance 33: 91
Saliency effects across dimensions in visual search 33: 839
Shifts of visual attention at fixation and away from fixation 33: 1113
Focal visual attention produces illusory temporal order and motion sensation 33: 1219
Sensory and attentional components of slowing of manual reaction time to non-fixated visual targets by ipsilateral primes 33: 1525
The role of features in preattentive vision: comparison of orientation, motion and color cues 33: 1937
Visually guided attention is neutralized when informative cues are visible but unperceived 33: 2057
An adaptation-induced pop-out in visual search 33: 2353
Visual search asymmetries in three-dimensional space 33: 2697
Can we attend to large and small at the same time? 33: 2757
An oscillation-based model for the neuronal basis of attention 33: 2789

BINOCULAR RIVALRY
A test of Levelt's second proposition for binocular rivalry 33: 1413
Visually guided attention is neutralized when informative cues are visible but unperceived 33: 2057

BINOCULAR VISION
Retinal adaptation of visual processing time delays 33: 1421
Errors in direction-of-motion discrimination with dichoptically viewed stimuli 33: 1491
Precision of stereoscopic depth perception from double images 33: 1553
Fusional suppression in normal and stereoanomalous observers 33: 1645
Depth in anticorrelated stereograms: effects of spatial density and interocular delay 33: 1959
Dichoptic activation of the early motion system 33: 1977
Binocular correlates of the direction of motion in depth 33: 2359

BIPOLAR CELLS
Comparison of the waveforms of the ON bipolar neuron and the *b*-wave of the electroretinogram 33: 2431

CELLS (*see* AMACRINE CELLS; BIPOLAR CELLS; CORTEX; GANGLION CELLS; HORIZONTAL CELLS)

CHANNELS
Peripheral temporal frequency channels code frequency and speed inaccurately but allow accurate discrimination 33: 33
Properties of the visual channels that underlie adaptation to gradual change of luminance 33: 47
The effects of peripheral flicker on foveal spectral sensitivity 33: 627
Spatial-frequency adaptation: evidence for a multiple-channel model of short-wavelength-sensitive-cone spatial vision 33: 665
The effect of transiency on perceived velocity of visual patterns: a case of "temporal capture," 33: 791
Magno and parvo visual channels and the subjective Necker cube 33: 845
Lateral interactions between spatial channels: suppression and facilitation revealed by lateral masking experiments 33: 993
Neural recruitment explains "Weber's law" of spatial position 33: 1673
Responses of macaque ganglion cells and human observers to compound periodic waveforms 33: 1997
Transient and sustained components of the pupil response evoked by achromatic spatial patterns 33: 2239
Link-specific adaptation in the luminance and chromatic channels 33: 2271
Influence of the contrast sensitivity function on the reaction time 33: 2461
Can we attend to large and small at the same time? 33: 2757

CHROMATIC ABERRATION (*see* ABERRATION)

CHROMATIC CONTRAST (*see* COLOR CONTRAST)

CHROMATIC INDUCTION (*see* COLOR CONTRAST)

CLINICAL APPLICATIONS
Consequences of transient retinal hypoxia on rod input to horizontal cells in the rat retina 33: 429
Photochemically-induced lesion of the rat retina: a quantitative model for the evaluation of ischemia-induced retinal damage 33: 1887

COLOR ANOMALY
A study of women heterozygous for colour deficiencies 33: 1495

COLOR APPEARANCE
What does post-adaptation color appearance reveal about cortical color representation? 33: 123
Rank orderings of photoreceptor photon catches from natural objects are nearly illuminant-invariant 33: 131
Color appearance of filled-in backgrounds affects hue cancellation, but not detection thresholds 33: 165
Quantifying color constancy: evidence for nonlinear processing of cone-specific contrast 33: 739
Induced contrast from radial patterns 33: 1281
Simultaneous luminance contrast with chromatic colors 33: 1709

COLOR BLINDNESS (*see* COLOR ANOMALY; DICHROMACY; MONOCHROMACY)

COLOR CODING
What does post-adaptation color appearance reveal about cortical color representation? 33: 123
A multi-stage color model 33: 1053

Subjective colour from achromatic flicker 33: 1131
Simultaneous luminance contrast with chromatic colors 33: 1709

COLOR CONSTANCY (*see* COLOR APPEARANCE)

COLOR CONTRAST
Pop-out of orientation but no pop-out of motion at isoluminance 33: 91
Transient and sustained components of the pupillary responses evoked by luminance and color 33: 437
Quantifying color constancy: evidence for nonlinear processing of cone-specific contrast 33: 739
Detecting and discriminating the direction of motion of luminance and colour gratings 33: 799
On the loss of apparent motion between isolated chromatic stimuli near isoluminance 33: 935
What happens if it changes color when it moves?: psychophysical experiments on the nature of chromatic input to motion detectors 33: 1019
A test of Levelt's second proposition for binocular rivalry 33: 1413
The role of features in preattentive vision: comparison of orientation, motion and color cues 33: 1937
Responses of macaque ganglion cells and human observers to compound periodic waveforms 33: 1997
Functional segregation of color and motion perception examined in motion nulling 33: 2113
Color enhances Mach bands detection threshold and perceived brightness 33: 2313
Motion perception with spatiotemporally matched chromatic and achromatic information reveals a "slow" and a "fast" motion system 33: 2515
Development of infant contrast sensitivity to chromatic stimuli 33: 2535
Does chromatic sensitivity develop more slowly than luminance sensitivity? 33: 2553

COLOR DISCRIMINATION
Red-green color discrimination in peripheral vision 33: 235
Visual mechanisms that signal the direction of color changes 33: 1037
Development of color vision in goldfish: selective delayed maturation of blue vision 33: 1665
Chromatic discrimination with variation in chromaticity and luminance: data and theory 33: 1835
Colorimetric purity discrimination: data and theory 33: 1847

COLOR MATCHING
More than three different cone pigments among people with normal color vision 33: 117
Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139

COLOR OPPONENCY
Chromatic discrimination with variation in chromaticity and luminance: data and theory 33: 1835
Colorimetric purity discrimination: data and theory 33: 1847

CONES
Rod-cone interaction in form detection 33: 195
Serial spatial filters in vision 33: 413
Visual optics and retinal cone topography in the common marmoset (*Callithrix jacchus*) 33: 1301
Assessment of foveal cone photoreceptors in Stargardt's macular dystrophy using a small dot detection task 33: 1509
Cone pathways and the $\pi 0$ and $\pi 0'$ rod mechanisms 33: 2203

The spectral properties of the two rod pathways 33: 2705

CONTOUR PERCEPTION (*see also* CURVATURE PERCEPTION)
Contour integration by the human visual system: evidence for a local "association field," 33: 173
The cue for contour-curvature discrimination 33: 329
The effect of contour closure on the rapid discrimination of two-dimensional shapes 33: 981
Spatial localization of motion-defined and luminance-defined contours 33: 2225
The role of edges and line-ends in illusory contour formation 33: 2253
Color enhances Mach bands detection threshold and perceived brightness 33: 2313

CONTRAST DISCRIMINATION
Can sinusoidal vernier acuity be predicted by contrast discrimination? 33: 1241
The effects of adaptation and masking on incremental thresholds for contrast 33: 2051

CONTRAST FLASH (*see* MASKING)

CONTRAST PERCEPTION
Estimating the gradient direction of a luminance ramp 33: 1639
Spatial interactions in apparent contrast: individual differences in enhancement and suppression effects 33: 1685
The effect of edge blur on grating induction magnitude 33: 2499
The lateral inhibition of perceived contrast is indifferent to on-center/off-center segregation, but specific to orientation 33: 2671

CONTRAST SENSITIVITY
Both the phase and the amplitude spectrum may determine the appearance of natural images 33: 141
Visibility of elliptical Gaussian blobs 33: 243
Spatiotemporal contrast sensitivity of early vision 33: 257
Individual differences in contrast sensitivity functions: the first four months of life in humans 33: 381
Serial spatial filters in vision 33: 413
Visibility, timing and vernier acuity 33: 505
Visibility, luminance and vernier acuity 33: 527
Visibility and vernier acuity for separated targets 33: 539
Aging and neural spatial contrast sensitivity: photopic vision 33: 939
Forward pattern masking and adaptation: effects of duration, interstimulus interval, contrast, and spatial and temporal frequency 33: 959
Effects of luminance and exposure time on contrast sensitivity in spatial noise 33: 1123
Masked detection of gratings: the standard model revisited 33: 1359
Retinal adaptation of visual processing time delays 33: 1421
Michelson contrast, RMS contrast and energy of various spatial stimuli at threshold 33: 1431
An orientation-tuned component in the contrast masking of stereopsis 33: 1535
Suppression of contrast sensitivity during eyelid blinks 33: 1795
The effects of grating area and spatial frequency on contrast sensitivity as a function of light level 33: 2065
Transient and sustained components of the pupil response evoked by achromatic spatial patterns 33: 2239
Contrast sensitivity and vernier acuity in amblyopic monkeys 33: 2301
Relative contributions of optical and neural limitations to human contrast sensitivity at different luminance levels 33: 2321
Influence of the contrast sensitivity function on the reaction time 33: 2461
The effect of contrast polarity on letter identification 33: 2491

Development of infant contrast sensitivity to chromatic stimuli 33: 2535
Does chromatic sensitivity develop more slowly than luminance sensitivity? 33: 2553
Modelling the dependence of contrast sensitivity on grating area and spatial frequency 33: 2773

CORTEX
Structural testing of multi-input linear-nonlinear cascade models for cells in macaque striate cortex 33: 609
Different anisotropies for texture and grating stimuli in the visual map of cat striate cortex 33: 1447
Spatio-temporal frequency separability in Area 18 neurons of the cat 33: 1765
Complete interocular transfer of motion adaptation effects on motion coherence thresholds 33: 1865
An oscillation-based model for the neuronal basis of attention 33: 2789

CORTICAL MAGNIFICATION
Modelling of orientation discrimination across the visual field 33: 723

CRAIK–O'BRIEN EFFECT (*see* CONTOUR PERCEPTION)

CURVATURE PERCEPTION (*see also* CONTOUR PERCEPTION; FORM PERCEPTION)
The cue for contour-curvature discrimination 33: 329
Integration of depth modules: stereopsis and texture 33: 813
Effects of different texture cues on curved surfaces viewed stereoscopically 33: 827
Interaction of stereo, texture and outline cues in the shape perception of three-dimensional ridges 33: 919
Active vision and the identification of three-dimensional shape 33: 1581
Detection and discrimination of curvature in foveal and peripheral vision 33: 2215

DEPTH PERCEPTION
Surface segmentation mechanisms and motion perception 33: 313
Dissociation of discrimination thresholds for time to contact and for rate of angular expansion 33: 447
Precision of stereoscopic depth perception from double images 33: 1553
On the perceptual identity of dynamic stereopsis and kinetic depth 33: 1561
Directional discrimination of motion in depth based on changing target vergence 33: 2153
A perturbation analysis of depth perception from combinations of texture and motion cues 33: 2685

DEUTERANOPIA (*see* DICHROMACY)

DEVELOPMENT
Emmetropization as a first-order feedback system 33: 21
Individual differences in contrast sensitivity functions: the first four months of life in humans 33: 381
Motion-based detection by 14-week-old infants 33: 657
Ocular development and visual deprivation myopia in the common marmoset (*Callithrix jacchus*) 33: 1311
Chromatic aberration and accommodation: their role in emmetropization in the chick 33: 1593
Development of color vision in goldfish: selective delayed maturation of blue vision 33: 1665
Infant eye movement asymmetries: stationary counterphase gratings elicit temporal-to-nasal optokinetic nystagmus in two-month-old infants under monocular test conditions 33: 1859

Development of infant contrast sensitivity to chromatic stimuli 33: 2535
Does chromatic sensitivity develop more slowly than luminance sensitivity? 33: 2553

DICHROMACY
Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139

DIPLOPIA (*see* BINOCULAR VISION)

DIRECTIONAL SENSITIVITY (MOTION) (*see* MOTION PERCEPTION (DIRECTIONAL SENSITIVITY))

DISPARITY (*see* BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (*see* PERIPHERAL VISION)

EDGE DETECTION (*see* FEATURE DETECTION)

ELECTRORETINOGRAM
Spatial and chromatic interactions in the human pattern electroretinogram 33: 275
Light adaptation of human rod receptors: the leading edge of the human *a*-wave and models of rod receptor activity 33: 1605
Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773
Comparison of the waveforms of the ON bipolar neuron and the *b*-wave of the electroretinogram 33: 2431

ENTOPTIC PHENOMENA
Nonlinearity and oscillations in X-type ganglion cells of the cat retina 33: 861

EVOKED RESPONSES
Evoked potentials and simple motor reaction times to localized visual patterns 33: 1325
Interactions of spectral, spatial, and temporal mechanisms in the human pattern visual evoked potential 33: 2397
Functional brain imaging: dipole localization and Laplacian methods 33: 2413
Chronotopographical analysis of the pattern onset visual evoked magnetic response (VEMR): implications for waveform peak identification 33: 2443

EYE MOVEMENTS
Slow control with eccentric targets: evidence against a position-corrective model 33: 361
Optical flow from eye movement with head immobilized: "ocular occlusion" beyond the nose 33: 777

EYE MOVEMENTS, OPTOKINETIC NYSTAGMUS
Infant eye movement asymmetries: stationary counterphase gratings elicit temporal-to-nasal optokinetic nystagmus in two-month-old infants under monocular test conditions 33: 1859

EYE MOVEMENTS, SACCADIC
Interactions between short-term vertical phoria adaptation and nonconjugate adaptation of vertical pursuits 33: 55
Express attentional shifts 33: 85
Smooth pursuit initiation in young and elderly subjects 33: 203
Motion perception during saccades 33: 211
Saccade-contingent displacement of the apparent position of visual stimuli flashed on a dimly illuminated structured background 33: 709
Horizontal saccades to dichoptically presented targets of differing disparities 33: 1001

Remapping of neural activity in the motor colliculus: a neural network study 33: 1287
Absence of express saccades to texture or motion defined targets 33: 1367
Express saccades: the effects of spatial and temporal uncertainty 33: 2447

EYE MOVEMENTS, SMOOTH PURSUIT
Interactions between short-term vertical phoria adaptation and nonconjugate adaptation of vertical pursuits 33: 55
Directionally selective short-term nonconjugate adaptation of vertical pursuits 33: 65
Smooth pursuit initiation in young and elderly subjects 33: 203

EYE MOVEMENTS, VERGENCE
Interactions between short-term vertical phoria adaptation and nonconjugate adaptation of vertical pursuits 33: 55
Directionally selective short-term nonconjugate adaptation of vertical pursuits 33: 65
Spatial aspects of vertical phoria adaptation 33: 73
Judging an object's velocity when its distance changes due to ego-motion 33: 487
Binocular eye orientation during fixations: Listing's law extended to include eye vergence 33: 691
Directional discrimination of motion in depth based on changing target vergence 33: 2153

FEATURE DETECTION
A model for detection of spatial and temporal edges by a single X cell 33: 1871
The role of edges and line-ends in illusory contour formation 33: 2253
Transparent surfaces defined by implicit X junctions 33: 2339
Local direction of edge motion causes and abolishes the barberpole illusion 33: 2347

FIXATION
Slow control with eccentric targets: evidence against a position-corrective model 33: 361
Binocular eye orientation during fixations: Listing's law extended to include eye vergence 33: 691
Shifts of visual attention at fixation and away from fixation 33: 1113
Is there a systematic location for the pseudo-fovea in patients with central scotoma? 33: 1271

FLICKER
The effects of peripheral flicker on foveal spectral sensitivity 33: 627
Subjective colour from achromatic flicker 33: 1131
The spectral properties of the two rod pathways 33: 2705

FORM PERCEPTION (*see also* CURVATURE PERCEPTION)
Contour integration by the human visual system: evidence for a local "association field," 33: 173
Rod-cone interaction in form detection 33: 195
The cue for contour-curvature discrimination 33: 329
Psychophysical measures of illusory form perception: further evidence for local mechanisms 33: 759
Integration of depth modules: stereopsis and texture 33: 813
Effects of different texture cues on curved surfaces viewed stereoscopically 33: 827
Interaction of stereo, texture and outline cues in the shape perception of three-dimensional ridges 33: 919
The effect of contour closure on the rapid discrimination of two-dimensional shapes 33: 981
Active vision and the identification of three-dimensional shape 33: 1581
Shape from texture: ideal observers and human psychophysics 33: 1723
Detection and discrimination of curvature in foveal and peripheral vision 33: 2215

Multi-aperture viewing: perception of figures through very small aperatures 33: 2563

FOVEA
Assessment of foveal cone photoreceptors in Stargardt's macular dystrophy using a small dot detection task 33: 1509

GAIN CONTROL
Spatial frequency adaptation and contrast gain control 33: 1133
Chromatic discrimination with variation in chromaticity and luminance: data and theory 33: 1835

GANGLION CELLS
Parasol (Pa) ganglion-cells of the primate fovea: immunocytochemical staining with antibodies against $GABA_A$-receptors 33: 1
Dendritic architecture of ON-OFF direction-selective ganglion cells in the rabbit retina 33: 579
Nonlinearity and oscillations in X-type ganglion cells of the cat retina 33: 861
Optic nerve response and retinal structure in rainbow trout of different sizes 33: 1739
A model for detection of spatial and temporal edges by a single X cell 33: 1871
Responses of macaque ganglion cells and human observers to compound periodic waveforms 33: 1997
GABA-immunoreactive profiles provide synaptic input to the soma, axon hillock, and axon initial segment of ganglion cells in primate retina 33: 2629

GROUPING
Higher-order structure in regularity detection 33: 1067

HAIDINGER'S BRUSHES (*see* ENTOPTIC PHENOMENA)

HISTOCHEMISTRY (*see* NEUROCHEMISTRY)

HORIZONTAL CELLS
Consequences of transient retinal hypoxia on rod input to horizontal cells in the rat retina 33: 429
The dynamics of light adaptation in cat horizontal cell responses 33: 1153
The lateral spread of light adaptation in cat horizontal cell responses 33: 1173
Effects of GABA on horizontal cells in the tiger salamander retina 33: 1339
Studies on the dopamine-dependent modulation of amino acid-gated currents in cone horizontal cells of the perch (*Perca fluviatilis*) 33: 2031
Localization and modulatory actions of zinc in vertebrate retina 33: 2611

HYPERACUITY
What part of a vernier stimulus determines performance? 33: 27
Stereo and motion disparities interfere with positional averaging 33: 309
Long-term learning in vernier acuity: effects of stimulus orientation, range and of feedback 33: 397
Visibility, timing and vernier acuity 33: 505
Visibility, luminance and vernier acuity 33: 527
Visibility and vernier acuity for separated targets 33: 539
Can sinusoidal vernier acuity be predicted by contrast discrimination? 33: 1241
Orientation, masking, and vernier acuity for line targets 33: 1619
Neural recruitment explains "Weber's law" of spatial position 33: 1673
Spatial localization of motion-defined and luminance-defined contours 33: 2225

Initial performance, learning and observer variability for hyperacuity tasks 33: 2287
Contrast sensitivity and vernier acuity in amblyopic monkeys 33: 2301
Is the increased spatial uncertainty in the normal periphery due to spatial undersampling or uncalibrated disarray? 33: 2663

ILLUSION (*see also* AFTEREFFECTS)
Color appearance of filled-in backgrounds affects hue cancellation, but not detection thresholds 33: 165
Stereo and motion disparities interfere with positional averaging 33: 309
Perceptual fading of visual texture borders 33: 717
Psychophysical measures of illusory form perception: further evidence for local mechanisms 33: 759
Magno and parvo visual channels and the subjective Necker cube 33: 845
Spatial and temporal properties of illusory figures 33: 897
Focal visual attention produces illusory temporal order and motion sensation 33: 1219
An illusory transformation of optic flow fields 33: 1481
Motion capture changes to induced motion at higher lunimance contrasts, smaller eccentricities, and larger inducer sizes 33: 2091
What induces capture in motion capture? 33: 2109
The role of edges and line-ends in illusory contour formation 33: 2253
Transparent surfaces defined by implicit X junctions 33: 2339
The effect of edge blur on grating induction magnitude 33: 2499
Motion contrast and motion integration 33: 2721
Visual processing delays alter the perceived spatial form of moving gratings 33: 2733

ILLUSORY CONTOURS (*see* ILLUSION)

IMMUNOCHEMISTRY
Parasol (P) ganglion-cells of the primate fovea: immunocytochemical staining with antibodies against $GABA_A$-receptors 33: 1
Microanatomy of the dopaminergic system in the rainbow trout retina 33: 1345
Acetylcholinesterase and choline acetyltransferase localization patterns do correspond in cat and rat retinas 33: 1747
The spatial organization of tyrosine hydroxylase-immunoreactive amacrine cells in the chicken retina and the consequences of myopia 33: 2383
Immunocytochemical localization of GABA and glycine in amacrine and displaced amacrine cells of macaque monkey retina 33: 2617
GABA-immunoreactive profiles provide synaptic input to the soma, axon hillock, and axon initial segment of ganglion cells in primate retina 33: 2629

INCREMENT THRESHOLD
Color appearance of filled-in backgrounds affects hue cancellation, but not detection thresholds 33: 165
The effects of peripheral flicker on foveal spectral sensitivity 33: 627
Psychophysical measures of illusory form perception: further evidence for local mechanisms 33: 759

INTEROCULAR TRANSFER (*see* AFTEREFFECTS)

ISOLUMINANCE (*see* COLOR CONTRAST)

LEARNING
Long-term learning in vernier acuity: effects of stimulus orientation, range and of feedback 33: 397
Initial performance, learning and observer variability for hyperacuity tasks 33: 2287

LENS
Spectral transmission and short-wave absorbing pigments in the fish lens - I. Phylogenetic distribution and identity 33: 289
Spectral transmission and short-wave absorbing pigments in the fish lens - II. Effects of age 33: 301
Ultraviolet-induced lenticular fluorescence: intraocular straylight affecting visual function 33: 1827
On the possible function of the proximal lens unit of *Notonecta glauca* 33: 2437

LUMINANCE
Transient and sustained components of the pupillary responses evoked by luminance and color 33: 437
Visibility, luminance and vernier acuity 33: 527
Detecting and discriminating the direction of motion of luminance and colour gratings 33: 799
On the loss of apparent motion between isolated chromatic stimuli near isoluminance 33: 935
A test of Levelt's second proposition for binocular rivalry 33: 1413
Estimating the gradient direction of a luminance ramp 33: 1639
The inverse intensity effect is not lost with stimuli in apparent motion 33: 1697
Simultaneous luminance contrast with chromatic colors 33: 1709
Responses of macaque ganglion cells and human observers to compound periodic waveforms 33: 1997
The effects of grating area and spatial frequency on contrast sensitivity as a function of light level 33: 2065
Orientation identification at different background levels: its precision and distortions 33: 2073
Spatial localization of motion-defined and luminance-defined contours 33: 2225
Color enhances Mach bands detection threshold and perceived brightness 33: 2313
Motion perception with spatiotemporally matched chromatic and achromatic information reveals a "slow" and a "fast" motion system 33: 2515

MACH BANDS (*see* CONTOUR PERCEPTION)

MASKING
Forward pattern masking and adaptation: effects of duration, interstimulus interval, contrast, and spatial and temporal frequency 33: 959
Lateral interactions between spatial channels: suppression and facilitation revealed by lateral masking experiments 33: 993
Masked detection of gratings: the standard model revisited 33: 1359
An orientation-tuned component in the contrast masking of stereopsis 33: 1535
The role of Fourier components in discrimination between two types of plaid patterns 33: 1573
Orientation, masking, and vernier acuity for line targets 33: 1619

The effects of adaptation and masking on incremental thresholds for contrast 33: 2051

McCOLLOUGH EFFECT (*see* AFTEREFFECTS)

METACONTRAST (*see* MASKING)

MOLECULAR BIOLOGY
More than three different cone pigments among people with normal color vision 33: 117
Structure and evolution of the polymorphic photopigment gene of the marmoset 33: 147
Genetic basis of polymorphism in the color vision of platyrrhine monkeys 33: 269
Visual pigments and oil droplets in genetically manipulated and carotenoid deprived quail: a microspectrophotometric study 33: 571
Tachykinin-11 gene products in porcine ocular tissues: evidence for transcriptional and post-translational regulation 33: 1477
Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773
Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139

MONOCHROMACY
Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773

MORPHOLOGY (*see* NEUROANATOMY)

MOTION PERCEPTION
Motion perception during saccades 33: 211
Surface segmentation mechanisms and motion perception 33: 313
Dissociation of discrimination thresholds for time to contact and for rate of angular expansion 33: 447
The dimensionality of texture-defined motion: a single channel theory 33: 463
Theta motion: a paradoxical stimulus to explore higher order motion extraction 33: 553
Spatiotemporal properties of motion perception for random-check contrast modulations 33: 633
Pulse modulation detection in human motion vision 33: 647
Motion-based detection by 14-week-old infants 33: 657
Movement direction analysers: independence and bandwidth 33: 767
Spatio-temporal characteristics of human motion perception 33: 1193
Focal visual attention produces illusory temporal order and motion sensation 33: 1219
A test of Levelt's second proposition for binocular rivalry 33: 1413
On the perceptual identity of dynamic stereopsis and kinetic depth 33: 1561
Linear and rotation motion aftereffects as a function of inspection duration 33: 1913
The role of features in preattentive vision: comparison of orientation, motion and color cues 33: 1937
Dichoptic activation of the early motion system 33: 1977
Nonlinear combination rules and the perception of visual motion transparency 33: 2021
Motion capture changes to induced motion at higher lunimance contrasts, smaller eccentricities, and larger inducer sizes 33: 2091
What induces capture in motion capture? 33: 2109
Functional segregation of color and motion perception examined in motion nulling 33: 2113
Spatial localization of motion-defined and luminance-defined contours 33: 2225
Motion perception with spatiotemporally matched chromatic and achromatic information reveals a "slow" and a "fast" motion system 33: 2515
Multi-aperture viewing: perception of figures through very small aperatures 33: 2563
A perturbation analysis of depth perception from combinations of texture and motion cues 33: 2685
Visual processing delays alter the perceived spatial form of moving gratings 33: 2733

MOTION PERCEPTION (APERTURE PROBLEM)
The effect of interactions between one-dimensional component gratings on two-dimensional motion perception 33: 343
Determinants of two-dimensional motion aftereffects induced by simultaneously- and alternately-presented plaid components 33: 351
Different motion sensitive units are involved in recovering the direction of moving lines 33: 1207
Isolating the effect of one-dimensional motion signals on the perceived direction of moving two-dimensional objects 33: 1385
Perceived speed of moving lines depends on orientation, length, speed and luminance 33: 1921
Local direction of edge motion causes and abolishes the barberpole illusion 33: 2347

MOTION PERCEPTION (APPARENT MOTION)
On the loss of apparent motion between isolated chromatic stimuli near isoluminance 33: 935
What happens if it changes color when it moves?: psychophysical experiments on the nature of chromatic input to motion detectors 33: 1019
Transparent motion from feature- and luminance-based processes 33: 1119
The inverse intensity effect is not lost with stimuli in apparent motion 33: 1697
Different parameters control motion perception above and below a critical density 33: 1803
Dependence on stimulus onset asynchrony in apparent motion: evidence for two mechanisms 33: 2013

MOTION PERCEPTION (DIRECTIONAL SENSITIVITY)
The effect of interactions between one-dimensional component gratings on two-dimensional motion perception 33: 343
Dendritic architecture of ON-OFF direction-selective ganglion cells in the rabbit retina 33: 579
Movement direction analysers: independence and bandwidth 33: 767
Detecting and discriminating the direction of motion of luminance and colour gratings 33: 799
Dependence of speed and direction perception on cinematogram dot density 33: 849
Motion sensitivity and spatial undersampling in amblyopia 33: 881
What happens if it changes color when it moves?: psychophysical experiments on the nature of chromatic input to motion detectors 33: 1019
Inhomogeneity and anisotropies for motion detection in the monocular visual field of human observers 33: 1089
Different motion sensitive units are involved in recovering the direction of moving lines 33: 1207
Isolating the effect of one-dimensional motion signals on the perceived direction of moving two-dimensional objects 33: 1385
Illusory motion of texture boundaries 33: 1437
Different anisotropies for texture and grating stimuli in the visual map of cat striate cortex 33: 1447
Errors in direction-of-motion discrimination with dichoptically viewed stimuli 33: 1491
Discriminating the direction of second-order motion at short stimulus durations 33: 1785
Different parameters control motion perception above and below a critical density 33: 1803
Infant eye movement asymmetries: stationary counterphase gratings elicit temporal-to-nasal optokinetic nystagmus in two-month-old infants under monocular test conditions 33: 1859
Complete interocular transfer of motion adaptation effects on motion coherence thresholds 33: 1865

Dependence on stimulus onset asynchrony in apparent motion: evidence for two mechanisms 33: 2013
Motion capture changes to induced motion at higher lunimance contrasts, smaller eccentricities, and larger inducer sizes 33: 2091
Directional discrimination of motion in depth based on changing target vergence 33: 2153
Local direction of edge motion causes and abolishes the barberpole illusion 33: 2347
Binocular correlates of the direction of motion in depth 33: 2359
Mechanisms of velocity constancy 33: 2467
Dependence of plaid motion coherence on component grating directions 33: 2479
Directional adaptation effects with contrast modulated stimuli 33: 2653
Motion contrast and motion integration 33: 2721
An oblique effect in parafoveal motion perception 33: 2747

MOTION PERCEPTION (HIGHER ORDER MOTION)
The dimensionality of texture-defined motion: a single channel theory 33: 463
Theta motion: a paradoxical stimulus to explore higher order motion extraction 33: 553
Spatiotemporal properties of motion perception for random-check contrast modulations 33: 633
Evidence for second-order motion detectors 33: 1109
Illusory motion of texture boundaries 33: 1437
Discriminating the direction of second-order motion at short stimulus durations 33: 1785
Directional adaptation effects with contrast modulated stimuli 33: 2653

MOTION PERCEPTION (OPTIC FLOW)
Judging an object's velocity when its distance changes due to ego-motion 33: 487
Optical flow from eye movement with head immobilized: "ocular occlusion" beyond the nose 33: 777
Inhomogeneity and anisotropies for motion detection in the monocular visual field of human observers 33: 1089
An illusory transformation of optic flow fields 33: 1481
Binocular correlates of the direction of motion in depth 33: 2359

MOTION PERCEPTION (SPEED SENSITIVITY)
Peripheral temporal frequency channels code frequency and speed inaccurately but allow accurate discrimination 33: 33
Motion perception during saccades 33: 211
Judging an object's velocity when its distance changes due to ego-motion 33: 487
Pulse modulation detection in human motion vision 33: 647
The effect of transiency on perceived velocity of visual patterns: a case of "temporal capture," 33: 791
Dependence of speed and direction perception on cinematogram dot density 33: 849
Coding for stimulus velocity by temporal patterning of spike discharges in visual cells of cat superior colliculus 33: 1451
Perceived speed of moving lines depends on orientation, length, speed and luminance 33: 1921
Mechanisms of velocity constancy 33: 2467

MYOPIA
Ocular development and visual deprivation myopia in the common marmoset (*Callithrix jacchus*) 33: 1311
Expansion of the retinal pigment epithelium in experimental myopia 33: 1881
The spatial organization of tyrosine hydroxylase-immunoreactive amacrine cells in the chicken retina and the consequences of myopia 33: 2383

NATURAL IMAGES
Both the phase and the amplitude spectrum may determine the appearance of natural images 33: 141
Contour integration by the human visual system: evidence for a local "association field," 33: 173
Spatiotemporal contrast sensitivity of early vision 33: 257
Aquatic vision and the modulation transfer properties of unlighted and diffusely lighted natural waters 33: 1755

NEURAL NETS
Remapping of neural activity in the motor colliculus: a neural network study 33: 1287
Quantitative modeling of responses of anuran retina: stimulus shape and size dependency 33: 2361

NEUROANATOMY
Parasol (P) ganglion-cells of the primate fovea: immunocytochemical staining with antibodies against $GABA_A$-receptors 33: 1
Microanatomy of the dopaminergic system in the rainbow trout retina 33: 1345
Acetylcholinesterase and choline acetyltransferase localization patterns do correspond in cat and rat retinas 33: 1747
Strain differences in the ratio of synaptic body types in photoreceptors of the rat retina 33: 2427
GABA-immunoreactive profiles provide synaptic input to the soma, axon hillock, and axon initial segment of ganglion cells in primate retina 33: 2629

NEUROCHEMISTRY
Effects of GABA on horizontal cells in the tiger salamander retina 33: 1339
Studies on the dopamine-dependent modulation of amino acid-gated currents in cone horizontal cells of the perch (*Perca fluviatilis*) 33: 2031
Effects of hydroxylamine, digitonin and triton X-100 on photoreceptor (paraflagellar swelling) and photoreception of *Euglena gracilis* 33: 2043
Serotonergic, 5-HT_2, receptor-mediated phosphoinositide turnover and mobilization of calcium in cultered rat retinal pigment epithelium cells 33: 2171
pH regulation in frog cones studied by mass receptor photoresponses from the isolated retina 33: 2181
Light-induced binding of proteins to rhabdomeric membranes in the retina of crayfish (*Procambarus clarkii*) 33: 2421
Localization and modulatory actions of zinc in vertebrate retina 33: 2611
Immunocytochemical localization of GABA and glycine in amacrine and displaced amacrine cells of macaque monkey retina 33: 2617

NEUROTRANSMITTER (*see* NEUROCHEMISTRY)

NOISE
Structural testing of multi-input linear-nonlinear cascade models for cells in macaque striate cortex 33: 609
Spatial integration of band-pass filtered patterns in noise 33: 903
Effects of luminance and exposure time on contrast sensitivity in spatial noise 33: 1123
Michelson contrast, RMS contrast and energy of various spatial stimuli at threshold 33: 1431
Orientation, masking, and vernier acuity for line targets 33: 1619
Relative contributions of optical and neural limitations to human contrast sensitivity at different luminance levels 33: 2321
A perturbation analysis of depth perception from combinations of texture and motion cues 33: 2685

OCULAR MEDIA
Tachykinin-11 gene products in porcine ocular tissues: evidence for transcriptional and post-translational regulation 33: 1477

OPTIC FLOW (*see* MOTION PERCEPTION (OPTIC FLOW))

OPTIC TECTUM
Light-dark discrimination after sciatic nerve transplantation to the sectioned optic nerve in adult hamsters 33: 877
Remapping of neural activity in the motor colliculus: a neural network study 33: 1287
Coding for stimulus velocity by temporal patterning of spike discharges in visual cells of cat superior colliculus 33: 1451

OPTICAL QUALITY
An improved mathematical description of the foveal visual point spread function with parameters for age, pupil size and pigmentation 33: 15
Visual optics and retinal cone topography in the common marmoset (*Callithrix jacchus*) 33: 1301
Chromatic aberration and ocular focus: Fincham revisited 33: 1397
Chromatic aberration and accommodation: their role in emmetropization in the chick 33: 1593
Relative contributions of optical and neural limitations to human contrast sensitivity at different luminance levels 33: 2321
On the possible function of the proximal lens unit of *Notonecta glauca* 33: 2437
A system of regular ridges instead of nipples on a compound eye that has to operate near the diffraction limit 33: 2645

ORIENTATION PERCEPTION
Pop-out of orientation but no pop-out of motion at isoluminance 33: 91
Contour integration by the human visual system: evidence for a local "association field," 33: 173
Modelling of orientation discrimination across the visual field 33: 723
Saliency effects across dimensions in visual search 33: 839
An orientation-tuned component in the contrast masking of stereopsis 33: 1535
Processing of linear elements in stereopsis: effects of positional and orientational distinctiveness 33: 1813
Spatial-frequency- and orientation-selectivity of simple and complex channels in region segregation 33: 1893
The role of features in preattentive vision: comparison of orientation, motion and color cues 33: 1937
Orientation identification at different background levels: its precision and distortions 33: 2073
Anisotropies in the perception of stereoscopic surfaces: the role of orientation disparity 33: 2189
Orientation acuity for sine-wave gratings with random variation of spatial frequency 33: 2509
Preattentive discrimination of relative phase modelled by interacting Gabor or by difference-of-Gaussian filters 33: 2569
The lateral inhibition of perceived contrast is indifferent to on-center/off-center segregation, but specific to orientation 33: 2671

PATHOLOGY
Is there a systematic location for the pseudo-fovea in patients with central scotoma? 33: 1271

Assessment of foveal cone photoreceptors in Stargardt's macular dystrophy using a small dot detection task 33: 1509
Photochemically-induced lesion of the rat retina: a quantitative model for the evaluation of ischemia-induced retinal damage 33: 1887

PERIPHERAL VISION
Peripheral temporal frequency channels code frequency and speed inaccurately but allow accurate discrimination 33: 33
Properties of the visual channels that underlie adaptation to gradual change of luminance 33: 47
Red-green color discrimination in peripheral vision 33: 235
Slow control with eccentric targets: evidence against a position-corrective model 33: 361
Modelling of orientation discrimination across the visual field 33: 723
Inhomogeneity and anisotropies for motion detection in the monocular visual field of human observers 33: 1089
Shifts of visual attention at fixation and away from fixation 33: 1113
Illusory motion of texture boundaries 33: 1437
The visual acuity for the lateral visual field of the pigeon (*Columba livia*) 33: 1659
Motion capture changes to induced motion at higher lunimance contrasts, smaller eccentricities, and larger inducer sizes 33: 2091
Detection and discrimination of curvature in foveal and peripheral vision 33: 2215
Is the increased spatial uncertainty in the normal periphery due to spatial undersampling or uncalibrated disarray? 33: 2663
An oblique effect in parafoveal motion perception 33: 2747

PERSISTENCE
Phosphor persistence in oscilloscopic displays 33: 2337

PHASE SENSITIVITY
Both the phase and the amplitude spectrum may determine the appearance of natural images 33: 141
Texture segregation based on two-dimensional relative phase differences in composite sine-wave grating patterns 33: 221
Preattentive discrimination of relative phase modelled by interacting Gabor or by difference-of-Gaussian filters 33: 2569
Visual processing delays alter the perceived spatial form of moving gratings 33: 2733

PHOTOPIC VISION
Aging and neural spatial contrast sensitivity: photopic vision 33: 939

PHOTOPIGMENTS
More than three different cone pigments among people with normal color vision 33: 117
Structure and evolution of the polymorphic photopigment gene of the marmoset 33: 147
Synthesis of 3-hydroxyretinal in the cytosol of the butterfly compound eye 33: 155
Genetic basis of polymorphism in the color vision of platyrrhine monkeys 33: 269
Spectral transmission and short-wave absorbing pigments in the fish lens - I. Phylogenetic distribution and identity 33: 289
Spectral transmission and short-wave absorbing pigments in the fish lens - II. Effects of age 33: 301
Visual pigments and oil droplets in genetically manipulated and carotenoid deprived quail: a microspectrophotometric study 33: 571
Simple exponential functions describing the absorbance bands of visual pigment spectra 33: 1011
Light scattering in the eye of the blowfly *chalky* mutant: the effect on spectral sensitivity of photoreceptors R1-6 33: 1185
A study of women heterozygous for colour deficiencies 33: 1495

Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773
Effects of hydroxylamine, digitonin and triton X-100 on photoreceptor (paraflagellar swelling) and photoreception of *Euglena gracilis* 33: 2043
Serine/alanine amino acid polymorphism of the L and M cone pigments: effects on Rayleigh matches among deuteranopes, protanopes and color normal observers 33: 2139

PHOTORECEPTORS (*see also* CONES; RODS)
Rank orderings of photoreceptor photon catches from natural objects are nearly illuminant-invariant 33: 131
Effects of hydroxylamine, digitonin and triton X-100 on photoreceptor (paraflagellar swelling) and photoreception of *Euglena gracilis* 33: 2043
pH regulation in frog cones studied by mass receptor photoresponses from the isolated retina 33: 2181
Light-induced binding of proteins to rhabdomeric membranes in the retina of crayfish (*Procambarus clarkii*) 33: 2421
Strain differences in the ratio of synaptic body types in photoreceptors of the rat retina 33: 2427
Localization and modulatory actions of zinc in vertebrate retina 33: 2611
Disk shedding in the absence of a pigment epithelium in the lizard parietal eye 33: 2637

PI MECHANISMS
Cone pathways and the $\pi 0$ and $\pi 0'$ rod mechanisms 33: 2203

PIGMENT EPITHELIUM
Expansion of the retinal pigment epithelium in experimental myopia 33: 1881
Serotonergic, 5-HT_2, receptor-mediated phosphoinositide turnover and mobilization of calcium in cultered rat retinal pigment epithelium cells 33: 2171
Disk shedding in the absence of a pigment epithelium in the lizard parietal eye 33: 2637

PROTANOPIA (*see* DICHROMACY)

PUPILS
Transient and sustained components of the pupillary responses evoked by luminance and color 33: 437
Accommodative microfluctuations and pupil diameter 33: 2083
Transient and sustained components of the pupil response evoked by achromatic spatial patterns 33: 2239

REACTION TIME
Evoked potentials and simple motor reaction times to localized visual patterns 33: 1325
Absence of express saccades to texture or motion defined targets 33: 1367
Sensory and attentional components of slowing of manual reaction time to non-fixated visual targets by ipsilateral primes 33: 1525
Express saccades: the effects of spatial and temporal uncertainty 33: 2447
Influence of the contrast sensitivity function on the reaction time 33: 2461
Visual search asymmetries in three-dimensional space 33: 2697

READING
Is there a systematic location for the pseudo-fovea in patients with central scotoma? 33: 1271

REFRACTION
Emmetropization as a first-order feedback system 33: 21

Ocular development and visual deprivation myopia in the common marmoset (*Callithrix jacchus*) 33: 1311
Refractive state of the rhinoceros 33: 2649

REFRACTIVE FIELDS
Visibility of elliptical Gaussian blobs 33: 243
Spatial and chromatic interactions in the human pattern electroretinogram 33: 275
Dendritic architecture of ON-OFF direction-selective ganglion cells in the rabbit retina 33: 579
Quantitative modeling of responses of anuran retina: stimulus shape and size dependency 33: 2361

RETINAL DISEASE (*see* PATHOLOGY)

ROD–CONE INTERACTION (*see* CONES; RODS)

RODS
Rod-cone interaction in form detection 33: 195
Red-green color discrimination in peripheral vision 33: 235
Consequences of transient retinal hypoxia on rod input to horizontal cells in the rat retina 33: 429
Light adaptation of human rod receptors: the leading edge of the human *a*-wave and models of rod receptor activity 33: 1605
Cone pathways and the $\pi 0$ and $\pi 0'$ rod mechanisms 33: 2203
The spectral properties of the two rod pathways 33: 2705

SACCADES (*see* EYE MOVEMENTS, SACCADIC)

SCOTOPIC VISION
Cone pathways and the $\pi 0$ and $\pi 0'$ rod mechanisms 33: 2203

SEGMENTATION (*see also* FORM PERCEPTION)
Stereo and motion disparities interfere with positional averaging 33: 309
Surface segmentation mechanisms and motion perception 33: 313
Spatial-frequency- and orientation-selectivity of simple and complex channels in region segregation 33: 1893
The role of features in preattentive vision: comparison of orientation, motion and color cues 33: 1937

SHORT-WAVELENGTH-SENSITIVITY PATHWAY
Spatial reconstruction of signals from short-wavelength cones 33: 105
Spatial and chromatic interactions in the human pattern electroretinogram 33: 275
Spatial-frequency adaptation: evidence for a multiple-channel model of short-wavelength-sensitive-cone spatial vision 33: 665
Development of color vision in goldfish: selective delayed maturation of blue vision 33: 1665

SPATIAL FREQUENCY (*see also* PHASE SENSITIVITY)
Spatiotemporal contrast sensitivity of early vision 33: 257
Spatiotemporal properties of motion perception for random-check contrast modulations 33: 633
Forward pattern masking and adaptation: effects of duration, interstimulus interval, contrast, and spatial and temporal frequency 33: 959
Lateral interactions between spatial channels: suppression and facilitation revealed by lateral masking experiments 33: 993
Spatio-temporal characteristics of human motion perception 33: 1193

Evoked potentials and simple motor reaction times to localized visual patterns 33: 1325
Masked detection of gratings: the standard model revisited 33: 1359
Effects of the spatial frequency of test and reference stimuli on stereo-thresholds 33: 1545
The role of Fourier components in discrimination between two types of plaid patterns 33: 1573
Spatio-temporal frequency separability in Area 18 neurons of the cat 33: 1765
Spatial-frequency- and orientation-selectivity of simple and complex channels in region segregation 33: 1893
Interactions of spectral, spatial, and temporal mechanisms in the human pattern visual evoked potential 33: 2397
Dependence of plaid motion coherence on component grating directions 33: 2479
Orientation acuity for sine-wave gratings with random variation of spatial frequency 33: 2509
Modelling the dependence of contrast sensitivity on grating area and spatial frequency 33: 2773

SPATIAL VISION (*see also* PHASE SENSITIVITY)
Serial spatial filters in vision 33: 413
Distortions in two-dimensional visual space perception in strabismic observers 33: 677
Spatial integration of band-pass filtered patterns in noise 33: 903
Spatial interactions in apparent contrast: individual differences in enhancement and suppression effects 33: 1685
Perceived location of two-dimensional patterns 33: 2157
Is the increased spatial uncertainty in the normal periphery due to spatial undersampling or uncalibrated disarray? 33: 2663

SPECTRAL SENSITIVITY
More than three different cone pigments among people with normal color vision 33: 117
Genetic basis of polymorphism in the color vision of platyrrhine monkeys 33: 269
The effects of peripheral flicker on foveal spectral sensitivity 33: 627
Simple exponential functions describing the absorbance bands of visual pigment spectra 33: 1011
Light scattering in the eye of the blowfly *chalky* mutant: the effect on spectral sensitivity of photoreceptors R1-6 33: 1185
Optic nerve response and retinal structure in rainbow trout of different sizes 33: 1739
Photopigments and color vision in the nocturnal monkey, *Aotus* 33: 1773
Interactions of spectral, spatial, and temporal mechanisms in the human pattern visual evoked potential 33: 2397
The spectral properties of the two rod pathways 33: 2705

SPEED (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

STABILIZED VISION
Fading time of retinally-stabilized images as a function of background luminance and target width 33: 2127

STEREOPSIS
Stereo and motion disparities interfere with positional averaging 33: 309
Surface segmentation mechanisms and motion perception 33: 313
Judging an object's velocity when its distance changes due to ego-motion 33: 487
Integration of depth modules: stereopsis and texture 33: 813
Effects of different texture cues on curved surfaces viewed stereoscopically 33: 827
Interaction of stereo, texture and outline cues in the shape perception of three-dimensional ridges 33: 919
Temporal aspects of depth contrast 33: 947
Horizontal saccades to dichoptically presented targets of differing disparities 33: 1001

Temporal and spatial aspects of sensory interactions during human fusional response 33: 1259
An orientation-tuned component in the contrast masking of stereopsis 33: 1535
Effects of the spatial frequency of test and reference stimuli on stereo-thresholds 33: 1545
Precision of stereoscopic depth perception from double images 33: 1553
On the perceptual identity of dynamic stereopsis and kinetic depth 33: 1561
Fusional suppression in normal and stereoanomalous observers 33: 1645
Processing of linear elements in stereopsis: effects of positional and orientational distinctiveness 33: 1813
Depth in anticorrelated stereograms: effects of spatial density and interocular delay 33: 1959
Anisotropies in the perception of stereoscopic surfaces: the role of orientation disparity 33: 2189
Initial performance, learning and observer variability for hyperacuity tasks 33: 2287

STRABISMUS (*see also* AMBLYOPIA)
Distortions in two-dimensional visual space perception in strabismic observers 33: 677
Contrast sensitivity and vernier acuity in amblyopic monkeys 33: 2301

SUMMATION, SPATIAL
Spatial integration of band-pass filtered patterns in noise 33: 903
Temporal and spatial aspects of sensory interactions during human fusional response 33: 1259
Modelling the dependence of contrast sensitivity on grating area and spatial frequency 33: 2773

SUMMATION, TEMPORAL
On the confounding effects of phosphor persistence in oscilloscopic displays 33: 913
Temporal and spatial aspects of sensory interactions during human fusional response 33: 1259

SUPERIOR COLLICULUS (*see* OPTIC TECTUM)

SUPPRESSION (*see* BINOCULAR RIVALRY)

TECHNIQUES
Functional brain imaging: dipole localization and Laplacian methods 33: 2413

TEMPORAL DISCRIMINATION
Peripheral temporal frequency channels code frequency and speed inaccurately but allow accurate discrimination 33: 33
Retinal adaptation of visual processing time delays 33: 1421
A model for detection of spatial and temporal edges by a single X cell 33: 1871
Interactions of spectral, spatial, and temporal mechanisms in the human pattern visual evoked potential 33: 2397

TEMPORAL FREQUENCY (*see also* FLICKER)
Spatiotemporal contrast sensitivity of early vision 33: 257
Spatiotemporal properties of motion perception for random-check contrast modulations 33: 633
The effect of transiency on perceived velocity of visual patterns: a case of "temporal capture," 33: 791
Temporal aspects of depth contrast 33: 947
Forward pattern masking and adaptation: effects of duration, interstimulus interval, contrast, and spatial and temporal frequency 33: 959
Visual mechanisms that signal the direction of color changes 33: 1037

Spatio-temporal characteristics of human motion perception 33: 1193
Spatio-temporal frequency separability in Area 18 neurons of the cat 33: 1765
Dependence on stimulus onset asynchrony in apparent motion: evidence for two mechanisms 33: 2013

TEXTURE DISCRIMINATION
Contour integration by the human visual system: evidence for a local "association field," 33: 173
Texture segregation based on two-dimensional relative phase differences in composite sine-wave grating patterns 33: 221
Perceptual fading of visual texture borders 33: 717
Integration of depth modules: stereopsis and texture 33: 813
Effects of different texture cues on curved surfaces viewed stereoscopically 33: 827
Interaction of stereo, texture and outline cues in the shape perception of three-dimensional ridges 33: 919
Different anisotropies for texture and grating stimuli in the visual map of cat striate cortex 33: 1447
Shape from texture: ideal observers and human psychophysics 33: 1723
Processing of linear elements in stereopsis: effects of positional and orientational distinctiveness 33: 1813
Spatial-frequency- and orientation-selectivity of simple and complex channels in region segregation 33: 1893
The lateral inhibition of perceived contrast is indifferent to on-center/off-center segregation, but specific to orientation 33: 2671
A perturbation analysis of depth perception from combinations of texture and motion cues 33: 2685

TEXTURE PERCEPTION
Higher-order structure in regularity detection 33: 1067

THRESHOLD (*see* CONTRAST SENSITIVITY; INCREMENT THRESHOLD)

TRANSPARENCY
Surface segmentation mechanisms and motion perception 33: 313
Transparent motion from feature- and luminance-based processes 33: 1119
Nonlinear combination rules and the perception of visual motion transparency 33: 2021
Transparent surfaces defined by implicit X junctions 33: 2339
Dependence of plaid motion coherence on component grating directions 33: 2479

TRITANOPIA (*see* DICHROMACY)

TROXLER EFFECT (*see* STABILIZED VISION)

VELOCITY (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

VERNIER ACUITY (*see* HYPERACUITY)

VISUAL DIRECTION
Saccade-contingent displacement of the apparent position of visual stimuli flashed on a dimly illuminated structured background 33: 709

WAVELENGTH DISCRIMINATION (*see* COLOR DISCRIMINATION)

TYPESET IN GREAT BRITAIN BY BPCC TECHSET LTD, EXETER. PRINTED BY BPCC WHEATONS LTD, EXETER



The Most ~~AN~~ IMPORTANT PART OF YOUR PHOTOCOPIER <u>ISN'T</u> PART OF YOUR PHOTOCOPIER

Having the machine does not permit you to photocopy
books, journals and magazines.
The Copyright Clearance Center DOES.
Contact us to find out
how you too can Copy Right.

COPYRIGHT CLEARANCE CENTER
222 Rosewood Drive, Danvers, MA 01923 ☐ Tel. (508) 750-8400 ☐ Fax (508) 750-4744

© 1991 Copyright Clearance Center